7-26-79 C.I.M. #532804 (1)

1/4 Corner 28-33 Pleas Grove 105-13.

No known records.

T.H. #30

3/4" drill rod in place Sta 26+27.9 Center 30 as 0+00

Hub NW 71.40 - Hub SW 75.40

Witness - Sp tile P NE 53.1 - Cor FP East 34.6.

4th Post S of Cor FP 54.12 NE?

Gov't Notes M.G. Kerrick 1855 E Ran. bet 28 & 33

10.00 St'l trap St'l post

West on true line between 28 & 33 10.12

16.00 St'l 1/1 St'l post in Mound w/ 4 pits & trench & charcoal stakes & Osage Orange St'l N. E & S. W.

6-2-78 Dug on the West side of the 1" drill steel found. Dug 1' South, 5' North, and 3' West by 3½' deep. Went right into clay after fill. Found nothing. Drill steel (removed) set over nothing.

6-7-78 Set a ½" x 2' iron back at drill steel location. R.P.'s: "+" in lug at top W. end 24" C.M.P.

S.S.W. 131.95

C.S.D. in S. side C.P. ENE 51.35

Corner in ℄ + 2' So. of fence East.

7-23-1979 We dug with the backhoe at double the line and measure from the SW Cn. 29 over the corner post at the 1/16th Cant. At 4' deep we found we found crushed rock on clay. We shoveled off the rock and found a (cont.)

LAP NS.75 EG.7T

1/4 Corner 28-33 Pleasant Grove 105-13 (2)
#532804

(continued)

black mark (about 9") in diameter. Dug down about 6" and found the remaining 8" of a stake with axe marks plain. (Took picture) ~~Took~~ Set a 1" sq. by 18" pipe at the stake location with the stake alongside. The stake is 6.58 West and 1.52 South of the 1/2" iron set 1978 and used as a traverse pt.

7-23-1979 (1/16th Note) Dug with the backhoe at double the line and measure from the corner post at the 1/16th South of the W 1/4 Cor 28 over the corner post at the Center SW 1/4 28.

At 3' deep we found the remaining 2' of an 8" diameter post dug well down. Set post back with RR spikes and ½" iron around the base. The post is .4 N and 2.75 West of the t.m.

LRP } 4.7 N
    } 2.75 E

7-26-1979 (¼ Co 28-33) Set a CIM over a ½" X 18" rod at the location of the stake found 7-23-1979. Removed the ½" rod traverse Pt. The corner is 6½' West & and 3' South fence line Ext.

RP's: C.S. Dia South side corner post ENE 58.05
Punched cross in lug at top West end 24" C.M.P. SSW 129.53