#533204 (1)

X

1/4 Corner south 1/4 32 Pleas Grove 105-13.
E North
C White
C Bruster.

5-1893 H Fraser P528 No 493 S 31-32-33

set stone 5x8x18 M&L 40.0 1/4 from section corners both set this survey.

---

4-1942 J Kerr B 27 P 4.

found limestone
- meas west 2639.8 to SW cor 32.
5" burr oak east 142.0

Government Survey tie of 2.08 chains west to a stone 4x12x12 at North 4-5 Sumner township, Fillmore County.

5-1981 Fillmore Co. Surveyor found pieces of limestone here. Will set CIM M&L which is .05 North and .14 East of the center of the shattered stone.

6-23-1981 The Fillmore C.S. set a CIM (down 1.2) midway (2640.23) and on line between the SW Cn 32 and the SE Cn 32. Set a survey marker sign and post. 9 North of the CIM. The Corner is 2' South of E-W woven wire fence and 24' East of the old corner post to the fence North.

¼ Corner South ¼ 32 Pleasant Grove 105-13 (2)
#533204

N.5-L Fillmore County Surveyor chiseled cross in very large granite boulder as corner at Bout measure from S¼ Cor. 32 (137.28) and on line from the S¼ Cor 32 to S. 31-32

Top of granite is buried .5' and is in fence line running South

- Nail with blue plastic in West face of corner post North 2.47

See Cert in Blue Book @ S¼ Cor 32