5-30-78 Found 8x8" topped concrete monument.

X

#533304 (1)

¼ Corner south ¼ 33 Pleas Grove 10 S-13 E
Also N¾ ¼ Sumner & Fillmore Co.

9-1893 H Fraser P528 No 493 S 31-32-33 E North,
C White
C Bruster

set stone 4x6x25 2 rods west of corner fence past
avered under oath by D Smith as told by Mr D J Lamb
who placed the post due east 2 rods east of org cor
when standing on running the 6 mile town line found
this to be 10 links south of direct line between two cors
on running this 6 mile line, dug & plowed for every
½ mile corner and found nothing the whole 6 miles.
Meas of 6 miles overran 15 links only. over)

8-1902 OH Case. P45B Copy of survey made sent to W. Fraser.

found stone -
- meas east 40.01½ to sec cor. which compared to 40.01¼ by W Fraser.
- plat shows 1/16 north "Cast iron" meas north 39.88 to center a 1¼x40" pipe & 3x16x16 stone

---

1953 Co. Hwy. Dept. B201 P2. found 4x6x24 stone by Boyce 8"x8"x30" conc marker 18" below cultivated field. corner lines with fence west on Township & county line 96.0' east of ℄ road in 1953.

fence past NE 59.8 ℄ PP NE 30.5
" ℄E 52.75 Hub E 38.9, Hub N E 59.8, Hub E 52.5 ℄ FP SE 29.2

Card 2. #533304 (2)

¼ corner South ¼ 33 Pleas Grove 105-13
Also N ½ 3-4, Sumner
7-1930 B57 P43 Co H D.
found limestone as recorded.
Meas west 2640.9
Meas east 2642.4
Meas north 2635.1

Mc+B. found Cone. Mons. in 1970's

Government survey tie of 2.18 chains west to a stone 3x11x17 at North 3-4 sumner township Fillmore Co.

Mc+B. Ties to ¼ Corner 1970±
spike in Power Pole W.N.W. 11.73 - the Concrete mon is 70 ft. E of E Co Rd #1
spike in Power Pole S.S.W. 22.4.3

5-30-78 Found 8"x8" topped concrete monument down 16" in field, 90' E. of ℄ Co. Rd 1 and in line with fence West on the West side of Co. Rd 1. Set ½" rods on the North and South sides of the monument.
R.P.'s: Spike in South side of power pole NW 41.73
Spike in West side (up 4') of power pole SSW 224.3

4-1984 Vince Fangman found 8"x8" concrete monument. @ S¼ 33 #1488 (1317.27)
1/16 North: Set ¾" pipe M&L to pipe set @ Center 33 this survey. Capped C.S. 06 West and 45 N off point witted.
R.P.'s: Pop Cap in 2nd Fence post East East 57.34
C.S. R.P.'s: Pop Cap in NE side power pole SE 58.56
Also set ¾" pipes 445.00 North and 762.00 North of S¼ 33 (See Cert.)

S 1/4 Cor 33, Pleasant Grove, 105-13 (3)
Also N 3-4, Sumner. #533304

11-14-84, S 1/4 Cor 33: Found concrete monument in plowed field OK but disc now gone. Chiseled mark where stem of disc is still in the concrete.

N 3-4, Sumner Twp: Fd 2½" sq Case iron flush with ground 1½' North of E-W fence
Also Found Ken McAllie pipe .85 So and 1.04 E of mon