X

#540106 (1)

¼ corner 1-2 Hi Forest 10 5-14

2-1872 Hunter P 193 No 204 S 2 Thos Carroll, Peter McClusky

corner missing, ground frozen near section
line 78.95' Record 79.67. 39.29
reset ¼ post on line and ~~39.39~~ north - 39.66 south.
40.13 west to center

5-1876 Hunter P 294 No 289 S 2 Thos Carroll, E Mountain
recall to correct dispute in ¼ corner. - very lengthy & detailed information & testimony of several land owners, Peter McClusky
owner a surveyor Thos Phelps & Marion replace orig stakes in mound & pit with oak stake with slight crook on top.
and that he built his rail fence now standing west from

corner as it stood. Surveyor Phelps then present as well as Mr Touhy & McClusky on east side
Mountain & Carroll on west side averaged to corner.
on digging 18" deep found stake described lying flat with point north as if run down by wagons. Surveyor J. Phelps then present agreed it to be same stake he used 17 years before. set stone 3x4x23 in its place with old stake by its side. - Meas North 40.07, south 38.88

11-1907 Ch Armstrong P110B J Kelly R Thomas & others found stone 4x10x20 in center road 33' W of fences E, N, S.
-16 south set limestone 1½x18x26 M&L 19.44-
-16 east " temp point assumed M&L - Plat shows stone.
-16 center SE¼ SW¼ Sec 1 set L.S. 2x8x20 M&L 19.95 - E-W ½" rod in black top. 1/16 L.

6-1958.
Sp tele pole W 39.4 - Sp tele pole NW 117.4

not County 1-69.

¼ Corner 1-2 High Forest #540106 105-14 (2)



5-17-77 Dug For 8' South of pipe in place dug 10' deep. Found nothing. Took R.P.'s to pipe for road grading. Corner 3' No. of main line of fence E and 1½' N of fence W

R.P.'s : CSD W side pp # 9093 SE 127.65
CSD S side pp # 9098 NE 47.74

Pipe @ same location as ½" steel rod recorded by Kerr.
Ready For CIM

1981 Zenk Engr. got dip needle reading here set P.K. nail. P.K. is .16 north of double distance & .05 from straight line. .16 south fd. Co. Surv. Iron, set pipe & Cap over it.

Gov't Notes Yr by 1853
40.00 Set temp 1/4 sec. post
South 11° E on true line between sec's 12
39.64 Set a 1/4 sec. post in Mound of earth,
Sod, depos. bed charcoal Made trench, pits
planted Osage Orange scrat Ext. 1
trench.
9/89 FD PIPE 12" DEEP IN RD. 5.0' EAST TO ℄
C.R. #20, PP# 9098 GONE (1989) (1997)
CSD W SIDE PP# 9093 SE 127.51 127.65
PUNCH MARK IN NORTH END OF 18" CMP NE 42.02'