X Pipe inplace as Corner - set by M&B originally in 1957

1/4 corner 4-9 7th Forest 105-14.
#540404

5-1879 Hunter P358 No 349 & 9 H Horton, J Kelly & others found stone covered by owners of adjacent lands to be where original corner stood.
-16 east set stake M&L 19.89 1312.74 - 2625.48
-16 west " " " 20.02 1/2 (1321.55 2643.1
corners south in airport - 16 south stake M&L 20.00

5-1896 Hunter P601 No 546 & 9 Daly, Donahue, Kelly & others found stone P358 set boulder 6x9x24 in to place.
-16 east set boulder 6x10x12 M&L 19.88 1/2
-16 west set boulder 7x7x16 " 20.03
-16 south " " 12x15x26 " 20.00

10-1911 Ch Larson P162B & 3-4-9-10 found boulder. Stamped

3-1957 Mc Ghee

1" pipe as corner - 5/8" rod 33' N - 46.5' E of cor.

Lp	power pole	NW	~~40.93~~
"	" "	SW	~~35.75~~
"	guy pole stub	SE	38.1

Meas east	2624.7	R 2625.5
Meas west	2643.9	R 2643.1
Meas south	2639.0	R 2640.0

Lp	PP	SW	63.27
Lp	PP	NW	47.90

Set 1¼" pipe. 1961.
4-25-72. found pipe at surface of blacktop. Meas west 2641.39 — Meas south to center of CMP 2639.49
angle at corner south to west 90° 01' 09"

High Forest 1/4 section 4-9 Control notes July 6, 1953
40.00 set temp 1/4 sect. post #540404
West on true line between sects 4 & 9
40.00 set a 1/4 sect post V 9° 15' E
Br Oak 10 in N 65 E 200 Lks
Br Oak 12 in S 65 E 160 " "

1982 1/4 Cor 4-9 : Found and shot pipe at surface of blacktop. See Drwg 5-17.