5-11-1964. set CIM in place pipe by McGhie.
#540505
section corner 5-6-7-8 Hi Forest 105-14.
4-1872 Hunter P194 No 205 S7 Donnelson, Alcorn,
found stake in mound & pits plain Sullivan & others
-16 west set stake M&L 19.88 (1312.08'
Meas south 39.26 (2591.16' with temp point M&L as 1/16 cor.
-16 center NE 1/4 7 set stake intersection
from above 1/16 meas west 39.68 (2618.9' south 39.59 (2612.9'

8-1889 Thos Fraser P434 No421 S8 Law Roielder.
took corner post & fence averred by Alcorn as exact
spot Hunter used when stake stood in mound.
-Meas east 39.77 1/2 (2625.15 to 1/4 cor set M&L.

10-1905 Ch Armstrong 198 B 6-7 Rec. Landrum.
~~didnt use~~ corner. Sorry. 105-13 not 10 5-14.

5-14-1964 J Kerr E Dody N½ SW¼ 5
found 1½" pipe set by McGhee. 5' north of corner post.
a new creosote treated corner post.
set CIM in place of pipe. Pipe set by McG The sub-div
SW¼ sec 5 North + south. or E½ of W½
1964 J Kerr sub div SW¼ sec 5 E + W or N½ and S½.

11-14-72. set SW6 NAL 264262 R mon N 2641.0
off set 50' south thereand from corner post at Center 6. Claimed
by Russel Smith as replacement of old original corner post.
this line projected east and corrected to true line fell
26'± a few tenths south of CIM set at ¼ 5-6.

High. Forest Section corner 5-6-7-8 12

Govt Notes M. Gr. by 18-3 #540505

80.00 Set cor to Sect 5-6-7-8 in mound of earth, coal deposited charcoal, made trench & pits. planted Orange Orange + Set W W + SW

1982 See Cor 5-6-7-8: Found CIM on N. side C.P. to fence N-S-E-W. Shot Corner. See Drwg 5-17.