1. NOTE: See unfinished cert. file #540704 (1)

¼ corner 7-18 Hi Forest 105-14

4-1872 Hunter P 194 to 205 DT J Donnelson.
M Olcott, P Sullivan
others.

Corner missing - B trees gone.

established ¼ post on section line and 40 chs from
SE cor of 7 as Mr Sullivan where he helped carry
chain when stake was standing and it was 40 chs.

-16 west meas carefully stake set above as ¼ cor
39.25 - Dont record 39.70 short 45 lks
set marked stake at 19.77 west then 19.48 to sec cor.

This shortage of 45 lks should legally have been divided up
in the entire mile. but Hunter likely prevailed upon by
Sullivan to set ¼ corner at 40 chs.

-16 center SW ¼ 7 set stake intersections

Cover

5-1874 Hunter P 245 no 246 L18 C Kittleson, C Mickleson.
Corner missing. found 1/16 stake west set P 194.
Meas east 19.77 chs and set temp point for line
south.

Cor 1 Metes Jr. by 1853
19.00 set temp 1/4 sec post
W 89° 31' E on true line between Secs 15 & 16
39.70 set 1/4 sec. post
Black Oak 10 in 12-5 E 24 lks
Bur Oak 6 in 5 5° E 53 "

10-29-82, 1/16 West: Dug with backhoe centered over a point 24' East and 9' North of our t.n. set in center of road and in line with fence North, North 2', South 2½', East 3½, West 4'+. Fill to clay 6' deep. Found nothing. Point came on N. edge road.

#540704 (2)

1/4 Cor. 7-18, High Forest, 105-14

11-1-82, Center SE 1/4: Dug from c.p. to fence E-W-N (c.p. centered 1.3 North of t.n.) North 3', West 3', and East 2½ by 4' deep to clay (black dirt down 3'). Found wood fragments standing vertical in black dirt that may be the remains of Hunter's stake but it did not reach to clay. The remains of a small post stood 1.0 East of this. It did not reach to clay either. Possible stake remains 1.8 North and 1.5 East of the t.n.


stake } t.n. SW 2.4
spike SE 2.25

11-1-82, Center SW 1/4: Dug from the corner post North 5', East 2½', West 2', by 1½' deep to clay. Found nothing but open hole. The corner post is 1.0 East of the t.n.

11-3-82, Center SW 1/4: Dug 2' + off the west side of the hole dug 11-1-82 to cover line from the 1/16 East of W6-7 to cover line. (To) over the stake fd. at the Center NW 1/4 (1970) There is another

ridge on the West side of the fence in place that would fit this line well. We did not find anything - not even a post mark.

11-3-82, 1/4 Cor 7-18: Dug with the backhoe centered over a point 14' North and 16' East of the t.n. (set in ℄ road and in line with the fence North) Dug for 4' West, 4' East, 4' South and 4' North to 5' deep to clay. Found nothing. Condition poor. Had to dig over the edge of the road and hole irreg shaped



We were digging on the line from a point 10' North of West 7-18 to 6' North of Sec. Cor 7-8-17-18 and to cover Hunter's distances from the line projected from the stake marks found at the 1/16 East of W.6-7 over the stake found at the Center of the NW 1/4 7 in 1970 as per T.H. Survey No. 205 and Hunter's distance from the line projected from the (stone?) calc. location of the 1/16 E of 1/4 Cor 6-7 over the Center SE 1/4 Sec 7 (poss. stamped) also per Hunter's Survey No 205.

#540704 (3)

1/4 Cor 7-18, High Forest, 105-14:

11-16-82, 1/4 Cor 7-18: Set a 3/4" x 21" re-rod here as a Temporary corner since the hole dug here will yet settle. ~~LRP~~ 3" to 3/4" re-rod } CSD@ NE Cor. pole sled SSE 76.94
CSD@ NW Cor pole sled SW 106.25
We set this corner independent of the section corners East and West as we believe neither is a perpetuation of the original corner. We calc. the location of the 1/16 West and the 1/16 East on where we believe Hunter corner stood in Survey No. 205. We then set 1/4 Cor 7-18 on the line between these 1/16th's and at prorated Hunter measure between them as per Surv No. 205-
The corner is 17' East of the fence line North and 12' North of the ℄ of the E-W road.
Locate to 3/4" rod } t.n in ℄ rd and line Fe N. SW 20.86
1/2" re-rod in ℄ rd. SE 18.52 (est)

We calc. the location of the 1/16 W on the line from the stake make Found at the 1/16 E. of W6-7 over the stone Fd at the Center NW1/4 (1971) and at Hunter prorated distance (prorated against measure from 1/16E of W6-7 to Center NW1/4 8)

We calc the location of the 1/16 E on the line from the 1/16 E of 1/4 Cor 6-7 (calc. only) over the stake Fd at the Center SE1/4 7 and [redacted] at prorated Hunter measure from Center SE1/4 7 (prorated against measure from 1/16 E of [redacted] 1/4 Cor 6-7 to the Center SE1/4 7