1 8-10-70 set C/M one 3/4" x 16" rod, Stones W & N; Geo.

1/4 Corner. 7-8 High Forest 10 5-14. (1) #540806

4-1872 Hunter P194 No 205 S T J Donnelson, M Aleson. P Sullivan et ahers.

Witness tree grubbed and gone, found stake in fence covered by Mr Aleson as set & orig stake which he carefully preserved. Bearing north half. N 0° 27' E S 1/3 N 1° 25' E -16 S. set stake M & L 19.89 (13 12.74 + took B brac. 8" bo. oak S 32° E 32 1/2 lks. (21.45 — 12" bo. oak N 32° W 178 lks. 1175 -16 N set stake M & L 19.63 (1295.58' x 2 = 2591.16'

8-1887 Thos Fraser P 434 No 421 S 8 Surv. Rieden. found fence post covered by same Mr Aleson as placed there in place of orig stake, being with Hunter P 194

(over

-16 S found ∧ under LEBT.
set new stake and set new B.T. 6" Bl. Oak. N48E 22L. 14.5'
9.52 N & 10.92 E

8-5-1970 object to replace the section corner. 7-8-17-18 to regrade E-W township road. - projected fence line running east between N and S halves of West ½ Sec 8. and also projected fence line running N+S from C/W at E-6-7-8 - set ⅜ x 4' rod at intersect of these lines. - meas south to corner post & 4 way fences. 1305.15 R. 1313.07 - dug there for recorded stake & B tree which may be still standing or one in near exact spot. - offset 40' west & C/W line & meas south to center E-W. road from corner post 1324.87 R. 1312.74 this line fell only 33' from N-S fence proving by kink at ¼ 7-8. - ran aerial on 20 offset on fence north which fell just 20' at ¼ 7-8 - meas N 2591.35 and S 1315.65 N+L accepted

#540806 (2)

Card # 2 ¼ 7-8 Hi Forest 10 5-14

dug some at corner past south in north ditch found small L stone near vertical no evidence of past remains this would come at 1315.65 and some. 18.3 east of 20' @ west - angle of 20' @ lines N & S 4'5' - record. 59'

- 8-10-1970 set CIM over ⅜" x 18" reinf rod and glace with small flat stones - stone found on N side - a thin 6" x 18" stone on west side of CIM 8" away ±

this corner meas 2591.35 north to CIM R 2591.16

figured this was proper place for corner and stone correct. Altho meas north near record and meas south some 2.7' long each half. this helped lines south and was proven near exact by line east SE 8 over ¼ 8-17 as set.

OVER RPs.

-Wire on SE side new creo cor post NE 2.6'
Orange bottlecap on NE side power pole #9972 SE 66.6'
-Wire on west side new corner post fence
running east - slack wire to cor pt south S. 64.43
- Center of road running to farm S 23.5±

Good Woods Tree by 1553
40.00 set ½ steel post
Bar Oak 12 in N 65 W 19 links
Bar Oak 6 in S 74 E 39½ links

Fall, 1982: ¼ Cor 7-8: Found CIM OK and shot. See Drwg 5-17. All 1970 RP's in place. Nailed survey marker sign to c.p. NE of corner 2½'
1981 - See Taylor Survey in Sec. 8 - Vertical File, Survey Data, Range 14.