X 7-25-72. set CIM over ½ x 3' rod. (set)

#540904 (1)

¼ corner 9-16 Hi Forest 10 5-14.

6-1872 Hunter P207 No 215 L16 Rangne, J Rahilley found after digging in road remains of old stake. set stone 5x8x18 as corner.

-16 south set stake 19.85 N to L 13/0.1

- meas west 39.94 ? Later 40.09'

- meas east 39.99 ? Later 40.09'

5-1879 Hunter P358 No 349 L 9 H Horton, J Kelly & others found stone center of road. P207.

- meas west 40.09.

5-1896 Hunter P601 No 546 L 9 J & P Daly J B Kelly P O'Grahill. & others corner gone no evidence where it stood. (over)

Reset corner M & L. 40.09. 2645.94
16 west set temp stake for line center N ¼ ¼
Nothing else but corners out in airport lands.

5-1957 McGhie
found no corner set 1¼" pipe M & L 2647.5 R 2645.94
Spike in power pole. NNE 31.58 — Pepi cap level 31.2
" " " SW 38.9 — Nail head level 39.0
" on board at Concrete
fence post SE 72.5 (Not good tie now

Near tie 8-10-1970 found pipe & rod made test corner. near to road
west, near line edge road, south-west edge, further RPs on
Airport guard road closed barricade steel posts 3½" dia.
∴ N side halfway up NE 30.04, ∴ S side halfway up SE 32.23
will set C/M later as time permits

Card # 2. 1/4 9-16 High Forest 10 5-14 (2)
found. McGhie pipe 7-20-72 Meas North to large
1/16 stone found at 1320.4. R 1318.35 - Cont meas to #540964.
Center 9 stone found. (Rough meas too far east for accuracy).
Zaped line from N 1/4 9 over center (CIM set) 2639.49 R2640
Zaped Center 9 to 1/16 stone 1318.03 R 1318.35
where stone was found to be .47 west of direct line.
- set stone on line., may still be hit by plow iron grate
originally found. 3' west of stone on N side of stone.
- set CIM over 1/2" x 3' rod at double meas 1318.03
and on line run.
- Zap S to stone at Center 16. 2627.35 R 2620.2 (1872).
- Zap W to CIM & grate. 2645.42 R H 1896. 4009. 2645.94
1879.

Corner Corner. .85 W and 2.16 N of McElhie page.
RPs to C/M as set.
40.15 SW to bottle cap in NW side PP # 25051.
29.44 NNE to bottle cap on E side PP # 25052.
52.13 NE on direct slope. straight chain. (plumb a little on C/M end because of edge road. to top 2½" heavy angle corner post.
30.55 and E to tack nail in top of bottom plank guards.
Corner 2' N Cenle. main road West, 8' E Cenle Main road S.
Cent de[illegible] 9-69-553
40.00 Set temp ½ set post
West on true line between scribe 9/16
40.16 Set a ½ gal pipe in ground 3.0 E
of cor. 1½ gal. pipe. Log chained made tank
& pipes planted Orange Cr. Log scribe NW

#540904 (3)

1/4 Corner 9-16 High Forest 105-14

10-1982, 1/4 Cor 9-16: Found and shot CIM. See DRWG 5-17

10/11/89 FD CIM 6" BELOW SURFACE IN RD DITCH RP's

52.22' SW OF TOP OF HEAVY ANGLE IRON C.P. (NO LONGER USED IN FENCE)

44.66' W OF CONC. NAIL IN TOP OF BOTTOM BOARD IN "ROAD CLOSED" GUARD

10.0 W & ROAD S

2.0 N & ROAD W