#54106 ①

7-1-1965 set C/M over 3/4 x 14" rod set M&L 2624.95 NW cor 11 & SW cor 11 - if SW 11 found corner will have to be adjusted. NW 11 orig cor.

9-10-71 found true limestone post C/M over stone later

1/4 corner. 10-11 with Nat Forest 10 5-14.

11-1907 Ch Armstrong P110B 21-2-11-12. J Kelly R Thomas & many others

set limestone 6x6x20 M&L 39.89 (2632.74'

Cert 3-14-75

Corner found and used in early 1950's limestone as recorded. ~~completely destroyed in regrading U 863.~~ Not True - pat (found by in 1971 4 deep.

7-1965 run & meas line carefully NW 11 to McGhie rod as SW 11 an assumed corner - the corner recorded & found. using C/M set in place of McGhie rod. reset 1/4 10-11 set C/M over 3/4" x 14" rod M&L 2624.95 R 2632.74 (over

S17C1M 6-15-73

corner as set still in direct line fence east as before when org stone lay under E-W-fence as it came to east RW old Highway 63.
- west edge concrete north bound lane in line corner as placed to fence line east. E 31.0.
- Mens east 2667.43 east to Center 11.
-16 north rod M&L in center black top in little pit (needle will pick it up very near line road center north.

9-2-71 Co surv. dug and found SW cor 11 - (10-11-14-15) .2 N and 4.5' W of CIM as set. (reset CIM destroyed later
9-10-71 dug and found org limestone at ¼ 10-11. .55' S and 2.0' W of CIM as set. reset CIM with rod
N-S mens was 5249.19 now 5249.7
Mens now south 2624.2 north 2625.5 RM&L 2632.74 Le and 2.

Card # 2. 1/4 10-11 High Forest 10 5-14 (2)
line between 10 and 11 now stub almost exactly straight.
as C/M at 1/4 10-11 will move W 2.0 (now iron rod.) #541106
and C/M at 10-11-14-15 moved W 4.5' considered O.K.
Meas S 2624.2 N 2625.5' only .75' north of midway.
Note soil very wet when stone re-located set only temp
rod which may not stay visible. temp RP to 1200 radio.
S-24.82 E 14.17
32.15 southeasterly to west edge of north bound concrete lane
at closest point, ie, 90° off edge concrete.
6-15-73 removed rod dug down again to stone. Reset
rod above stone with C/M above. Soil now dryer & firm.
Pulled 1200 RPS. Only RP pavement & eye line east.
(over)

6-1876 T. Hunter Book 4 p. 132 unrecorded survey
found stone in center of road set in old mound where
original stake stood by James Kelly.
Meas. N 19.93½ - 19.93½
Meas. W. To Cen. 19.93¾ - 19.93¾

1-6-1949 J. Kerr BK 40 P.51 Sec. 10-105-14 V. Lilly
found E ¼ Cor. Sec. 10 L.S. as described.
R.P. N.W. 10.5' To Cen. P.P.
N. of W 56' & T.H. at Rt. angle
Placed 1" pipe over stone - Ran E-W ¼ line
sec. 10.
Cen't Mons 9 cu. by 1853
Head set o ¾ set post in mound - 4
north & 300 disappointed [illegible] made
trench. P.H.'s planted [illegible]
Stakes [illegible]