X 10-10-82 Set 3/4 iron

#541604 (1)

1/4 corner 16-21 Hi Forest 105-14.

6-1872 Hunter P207 No 215 L16 Rangue & Labilly found remains old stake by digging set (chiseled) brches stone 5 x 3 x 18 likely in its place.

-16 east set stake 19.93½ N&L. (cedar stake) 1315.7

-16 west " " 19.89½ " 1313.07

-16 north " stake marked. " 19.85 1310.1

-16 center of W1/4 16 set stake inters lines

-16 " of E1/4 16 set cedar stake N&L 19.85 N-S 1/16 line

4-1896 H Fraser P594 No 540 L21 P Dellany & others found stone P207.

-16 south drove stake N&L 20.04 to stone set inters lines

ones

1960 Minn Hwy Dept. Du Val.

Concrete monument 1.5' down (Not Correct Cor. = Could be Hwy P.I.

Diac. corner fence post ~~dotted off~~ ~~SW 80.0~~ 7-1972

" " " " SE 78.4 - 78.26

" tele pole. NE 97.4 - 97.21

" power " NW 78.9 - 78.93

6-1968 J Kerr untied corner used for line south.
tie set C/M Cenity 21

Co. Surv. July 25, 1972 - Set 1" Sq. x 12" Long iron on line of Con. 21 and S. 1/4 Cor. 21 Set in ℄ T.H. 30 for N-S

W. edge (dead end sign) on Hwy Sign —— S.S.W. —— 62.0

M.H. disc. in Power Pole —— N.W. —— 77.1

M.H.D. disc in Tel. pole —— N.E. — 98.72

M.H.D. disc. in Lone fe post (old Cor. post) S.E. — 80.37

Card # 2. 1/4 16-21 High Forest 105-14 #541604 (2)
7-20 & 25 1972. set 1/4 9-16 by line of N 1/4 9 over
Center 9. - 1/16 stone S of Center 9. 0.47 west of this line.
- line from this point over stone at Center 16 projected to
Center (T.H. 30) as 1/4 16-21 fell 5.55 W of MHD assumed Cor.
- line from CIM over stone at 1/4 21-28 projected north
over CIM at Center 21 stone fell 4.2 W of MHD Cor.
- being more positive of south line than accuracy of
1/4 9-16 set 1" □ drag torch in center (T.H. 30) on this line.
will open up blacktop to find stone if possible
more for N-S than E-W. Drk N. & S. of Center 16 Sec 16 1/4 line.
Zap drag torch N. 2628.56 R 2620.2 N 1/2. 2627.35
S. 2646.71 R 2645.28.

Summary of numerous points at 1/4 16-21 105-14.

1" square x 12" drag torch in center of MHD 30. set by direct line 1/4 21-28 CIM over reset CIM at Center 21 set over limestone found. - lies 4.2' west MHD corner. □ rod S to CIM 2646.71 Center 21 R 2645.28. - then S to 1/4 21-28 2639.48 R 2638.68

point unmarked or likely a PK. in center MHD 30 set by direct line from reset corner 1/4 9-16 over stone found at Center 16. iron reset - lies 5.55 west MHD corner. □ rod N to center 16 2628.58 R 2620.2. - then 2627.35 R 2620.2

using □ rod present Center 16 lies .67' W of direct line.

Note all Hanters measurements made in 1892 uniform but ??

Gov't work for by 1853

40.00 set temp 1/4 steel post West on true line between set 16+21 45° 0' E 10.05 set 1/4 steel post in mound of rock set stone, depos. bed chestnut, made 4 grub pits 5 set 0.4 ns 15

#541604 (3)

1/4 Cor. 16-21, High Forest, 105-14.

10-18-82, 1/4 Cor 16-21: Dug on South side of 1" iron, 1 backhoe bucket width. Probed North and found recorded limestone standing in black dirt with stake on West side. Top down 3½'. Set a ½" re-rod on West side of stone.

1" iron } C.N. (scribed) N 4.17
P.K. (punch) E 4.17

stone } C.N. (chiseled arrow down) N 3.89
P.K. (hole drilled) E 3.89

10-22-82, 1/16 ~~East~~: Dug down with the backhoe over a point M.L. from 1/4 Cor 16-21 to Mn/Dot conc. mon./cap at Sec. Cr. 15-16-21-22. Found old c.p. down appx 6 feet. Dug around for Hunter stake but could not find it. The area was badly disturbed where the post had stood and we could not determine exactly where it had stood. Dug 2 backhoe bucket widths.

1/16 West, 10-25-82: Dug down centered over a point M&L between stone found at 1/4 Cor 16-21 and pt. calc. at Sec. Cor. 16-17-20-21 at double the line and measure from Sec. Cor. 20-21-28-29 over 1/4 Cor 20-21 which came 2.89 N and .69 E. of P.K. t.n. Found stub of old post packed in limestones down appx 7' and 1.2 N and .2 West of ~~top~~ t.n. Dug two backhoe bucket width ~~[redacted]~~. Found nothing further

---

10-10-82, 1/4 Cor 16-21: Set a 3/4" x 10" sq iron at the road surface over the stone found. The corner is 1/2' North of the ℄ T.H. 30 and 2' West of the ℄ roads North and South. Corner .35 N and .35 East of iron shot here (remund) and set 1972

RP's:

Mn/Dot Disc E side pp # 25032	NW 76.94
Top corner (L) & iron corner post	NE 87.91
Pencil hole top W. end CMP	SW 40.73
Pencil hole in top E end CMP	SE 45.11