X

#541704 (1)

1/4 corner 17-20 Ht Forest 105-14.

5-1870 Perry by Hunter P177 no 188 S20 C Willcox, J. Rogers.

found small stake, shown & anered by L Horton as stake he placed preserving corner.

used to set center - left as is.

1959 Co Hwy Dept. B 232 P3 | Co HP. BK 81 P 47 & 55 1936 Corner assumed (sta 237+35)

set concrete marker.

disc tele pole.	9-82	gone	NW	77.54.
" power pole.	9-82	Fd CHD disc	NE	93.73
" tele pole.	9-82	Fd MHD disc	SW	82.45
" power pole.	9-82	Fd MHD disc	SE	76.57.

over)

Miss Hwy Dept corner notes

Sta 394+89.7 or 2650.2' west to sta 17-18-19-20.

iron pin center N-S county road 8.

& highway as built centers on iron pin.

no records of any measure west.

Cont B232 Meas north 5258.34

Cor ~~not~~ set by 1853

40.00 set temp ¼ sec post

West on true line between sec 17 & 20

40.00 set a ¼ sec post in N 7° 30' E

mound of earth & sod depressed

charcoal made from 6 trees pointed

Osage Orange sec cor

10-25-82, ¼ Cor 17-20 Dug from a point 12' West of the PK traverse pt (over Mag/Dot cone) more or less as follows: 

There was appx 1' of black dirt left but at that a layer of limestone chunks mixed down into it. We did not find anything. Clay down 6'.

#541704 (2)

1/4 Corner 17-20, High Forest, 105-14

11-10-82, 1/4 Cor 17-20: Dug down to Mn/Dot concrete marker with 3" disc. Found it .06E and .10S of P.K. shot here. Set a 3/4" re-rod on 1/4 Cor 17-20 16.3 West and .3 South of MHD conc. monument with disc. Corner set midway between the section corners and on the line from the MHD Concrete mon/cap to Sec. Cor. 17-18-19-20 (taken as the center of the old road). Corner came a couple tenths N. of the N. edge of hole dug. Corner in line & roads East and W and 16½ West & roads N & S and 2.8 North & E-W road on curve.

RP's: CSD E side pp# 7146 SE 83.01
Mn/Dot Disc SE side pp# 7145 SW 76.41
CHD Disc W. side pp # 25016
NE 82.43(?)

conc. nail NE 1.95
conc. nail NW 2.16