#541804 (1)

NOTE: See unfinished cert file

8-7-91 Gave coordinate location to Vinc + to use as corner

¼ corner 18-19 7th Forest 105-14

5-1874 Hunter P 245 no 246 L 18 C Kittleson, C Mickleson found stone boulder in middle of road set by Ole Olson and other when road was opened and stake standing in mound.

2552.88

-16 west meas line carefully. 38.68 record 39.10.

set stake west of ¼ cor on line at 19.78½ chen 18.89½ to Sec cor. which is boulder 8x12x15 set this survey in place stake found.

1315.38

-16 north set stake M & L 19.93.

10-1888 Hunter P425 no 414 L 19-30 R Sage & Hulbert found stone boulder P 245 in center of road.

-16 east set stake M & L 20.01

-16 south set stone M & L 20.04.

Cover

-16 center NE 1/4 19 set stake M&L 19.97½ on E-W 1/16 line.

Minn Hwy Dept const notes 2564.0 M.H.D. Hwy Map - probably shorter as line is kinked
Sta 34P+98.9. or 2563.9 from Sta west on twp line
1874 Hunter 2552.88.
took line of fence N & S.
& highway as const. lies 15.2' North of assumed
section line - likely center old road.

Govt Notes 7-6 by 1653
16.00 set temp ½" steel post
Course N 69° 30' E -- true line between
39.10 set ¾" steel post in mound 8x19
of earth - set deposited charcoal mark
trees 4 pits pointed Orange Orange
set 8 - 5

#541804 (2)

1/4 Cor. 18 - 19, High Forest, 105-14

10-18-82, 1/4 Cor 18-19 : Dug centered over nail set in line with fence North and 15' So. & T.H. 30. Found 6" x 13" x 22" boulder standing beneath old road. Top down 8'. There was no stake. Stone standing in 2' of black dirt but still appears to be some black mark in clay. Set iron around stone. Digging at bottom of hole extends from stone 2' West, 1' South, and 4' East. Stone .08N and .55 W. of t.n.

t.n. { NW 18.94 / NE 21.90 } stone { NW 18.55 / NE 22.25 }

10-21-82, 1/16 East : Dug on North shoulder of T.H. 30 centered over a point on line from the stone 9/d. at 1/4 Cor 18-19 to Kerr iron @ Sec. Cor. 17-18-19-20 and @ Hunter

measure from the stone fd. @ 1/4 Cor 18-19. Area disturbed by road construction. Found nothing.

11-8-82, 1/4 Cor 18-19: Set a CIM over a 1/2" x 18" rod on the stone found 10-18-82. The corner 1/2' West of the line of the fence North (fence line South mostly gone but what left line with corner) and 14.9 South of ℄ T.H. 30

RP's: P.K. in top of N. Headwall of large concrete culvert NE 81.80

P.K. in top of S. Headwall of large concrete culvert ESE 74.83

(Both of these P.K.'s above W'ly wall of actual culvert)

11-15-82, 1/4 Cor 18-19: Digging here settled so bad after heavy rain we had to remove CIM and iron beneath they were so loose.

8-7-91