1 6-13-74 Set C I M over stone — #541905 (1)

section Corner west 19-30 Hi Forest 105-14. 2.
east 24-25 Rock Dell 105-15.
4-1878 Hunter P335 no 329 S24 Hans Amundson & others found remains of old stake in center road covered by James Farrel do driven by org stake as it became rotted, meas proved corner correct. set stone boulder. 5x8x18 in its place.
- meas west 40.00. to stake well down.
- meas north. 39.89. to stone set in place old stake.

10-1888 Hunter P425 no 414 S 19+30 R Sage W Hulbert & others.
above stone gone —
meas from 1/4 cor North E 1/4 24 south 39.90
- meas from 1/4 24-25 east 40.00 (over)

found stone set as 1/16 at 20.00 east from 1/4 24-25-
105-15 (no mention of line projected east -
set stake for corner as no stone at hand to set.
- Meas south 39.98 N 2 1/4° E to stake & stone set M & L.
- 1/16 east meas line 2638.64 carefully to 1/4 19-30 (a stake & stone set)
39.64 chs short 16 lks. - set large pointed boulder stone
at 19.72 chs then 19.92 to 1/4 19-30. N 88° W.
1301.52 1314.72

5-10-1971 Co surv. 1/4 19-30 now 4" heavy steel corner post
4 fences east & south, both cor post & blaze in massive conc.
Meas mark found large pointed boulder at 1313.2. R 1314.72

5-13-71 finished line and meas. - set 1/2" iron in yard several
feet back from each edg ditch to hold line and meas
card 2

#541905

Card # 2. West 19-30 Hi Point East 2425 Rock Dell (2)

RProd 12" oak center NE 18' - Center 21" oak SE 20.5'

set random nail in center road at 1299.33' R. 1302.52 Total R 2624

short 2.19' comp meas east ½ 1313.2 R 1314.72 Total 2626 12.5'3

short 1.52 shortage in west ½ should be 1.48 go .7W 1300 03

- run line & meas south, from mail to rod found at W 30-31 record "L. 39.98 To stone set M & L. 2638.68"

- meas to 40 D nail set in line of fence west 2636.38

short 2.3', cont meas to rod 5269.26 or 2632.88.

short 5.8' indicate (no corners found) iron go S. 3.5' at least.

line of iron at W 30-31 placed by state conservation group would depend on finding corners north (not near so deep).

- random aerial used iron at W 30-31 and 1299.33 nail at W 19-30

(over)

6-9-71 day with tractor carefully as expected only wood stake found stone very near 5x8x18 & 1878 Hamilton with small tacks on N & S sides & wood stake on E side. 26" below road surface.
- stone came .87' W and .13 S of 1299.33 nail from east.
or 1300.2 from 1/16 stone east and 2613.4 to 4" iron post.
R. 1301.52 - 1314.72 2616.24.
- set 5/8"x18" rod as temp corner 2" below surface.
- corner came. 2' N & west - 2' W & north (roads)
- Pepsi cap. on SE side PP # 7081.
- Center unmarked 20" oak.
- Center unmarked 14" pine Northerly of 2 pines
- Center unmarked 20" smooth barked oak
- .:. in N end. 12" driveway culv.

SW	77.64
NW	69.5
NE	96.0
SE	58.9.
SSE	64.55
R	2638.68
E	47.85

meas south to stone found at W 1/4 30. 2635.7.
- 1/2 x 10" rod in yard on orig line now. 12' N of line.

Card # 3 W 19-30 High Fount 105-14. (3)
E 24-25 Rock Dell 105-15 #541905

Fall 1982, W 19-30: Found and shot CIn.
See DRWG 5-17.