6-6-1968 set C/M over orig stone & orig iron 1/16 S Sec 24-29-30
5-10-71 raised C/M after grading 3½x10" iron over stone.
section corner 19-20-29-30 Ida Forest 105-14.
5-1870 Perry by Hunter P177 no 188 & 20 C Wilson, J Rogers.
found stake said to be where orig sec cor stood
set stone in its place. #542005
-16 north set stake M & L 20.21. N ½° E 1333.86
- meas back 39.81 to corner under sluice. S 89°10' E
2627.46

4 1884. Hunter P388 no 379 & 31 ~~H~~E Mayo.
in setting NE cor 31 meas from above corner NE cor 30
to E¼ 31 an axed stake claimed correct by S W Reise.
- meas 119.62 38 links shot or 39.87½ chs south.
1594.92 2631.69

6-1892 Thos Fraser. P480 no 457 & 30 John Logan & others.
found stone set P177. found P388, P425 (see over
-16 south set stone boulder. 19.93 5/16 M & L 1315.58 missed)
to stake set M & L on sec line 39.86 5/8 2631.17 over.

10-1888 Hunter P425 No 414 & 1930 R Sage
found stone set in center road P 177 W Hubbart & others.
- meas west 39.84 N 88° W (2629.44
- 16 north set stake N & L 20.24. N 2° E (335.84
- meas south 39.87 to temp stake set N & L.
2631.42-

6-6-1968 J Kerr & 19 town board road location.
found Dolomite limestone with 7/8" x 10" iron rod on east side of stones base. stone fairly close to road surface.
- meas west to elaborate concreted steel cor post 2628.8.
Record 2629.56. - Meas to 5/16 fence south running east.
1339' Record 1335.84. - Meas to 1/4 fence north running east
2675 Record 2671.68
No difinate reference. lines fence E & W about 2' west & top road to be graded. power poles to be moved.
1/2" rod set at monument W 100.03 - Center bearing PP top road bears SW 33.9

Lic 11/14/20

High Forest Stat corner 19-20-29-30 | 2
Cour Works Yr. by 1853 #542005
80.00 Set-post-corner to Stat 19-20-29-3
in mound of earth & Stat deposited
charcoal, made branch & pits placed
Osage Orange Stat N W & S E

Fall, 1982: See Cn 19-20-29-30: Found and shot CIM. See DRWG 5-17.