X 6-12 1968 set C.M.M. over stone found by ~~Dio Val, Minn Hwy dept. also piece of pump~~ #542206 & bone. (1)

vol 2

11-24-1972 found recorded limestone 4x8"x12" reset C.M.M. over stone with pump standard casting & old school desk pieces on all four sides.

1/4 corner. 21-22. High Forest 105-14 4-1896 St Fraser P 594 No 540 S21 P Dillany & also found remains of old stake in center road, 2 rods North of row of willows south side of road and in line fence running north, set stone in place of stake. Rice school. Dist #113 Book 167 page 82. JA Monette estate - St Mahoney Adm. to school dist #113. (former) over.

Comm - NW corner N 1/2 of SW 1/4 22.
S 15 1/3 rods (252.95', th E 12 rods (198'
parallel to N line of SW 1/4 22. th N 15 1/3 rods & W 12 rods.
school building. falling down. 7-1972 No fence left.

1960 Minn Hwy Dept DuVal found small boulder
in old unused road. set 3/4" x 2' iron pipe.
MHD disc on Fd P N 27.2 - MHD disc 30" stump SW 55.3
corner post std L S 30.0 - NW Corner old school SE 72.1

6-12-68 J Kerr. found rod and quite small boulder.
accepted by Minn. Hwy Dept as corner. (no described).
- road grown up west impassable even to walk on.
- low open field east - brush in area low & wet.
- set C/M corner stone and used corner to set N-S
& Center 21. where stone could not be found.
used big offset south 150 or 180 ft.

#542206 (2)

Card # 2. 1/4 21-22 High Forest 105-14

30.0 ~~S to corner post steel angle.~~

~~39.35 SW to lead bolt in cross of flat large boulder.~~

7-24-72 found that center 21 could be in error.
- searched for 1/16 west of center 21 found stones at both 1/16 and center 21. center 1.4 N 1.9 W of C/M.
- easily found large limestone 4"x8"x12" in clean soil slightly tipped north and about .2 ± west of C/M.
- reset C/M exactly 2.8' north which was well into stone & mark in clay below stone. accepted as final corner.
- set large parts of pump base and school desks on all four sides of corner. set Da Val 3/4" iron below stone.

New, final R P S. area very brushy and ditches in water
~~32.62~~ S to large bolt on west side heavy Angle
32.79 (1988)
Corner post holding steel brace of fence south
which is 4' wovel wire in heavy brush.
~~17.86 NW ly to 20 ℄ (head of nail) in hub nailed~~
~~to N side of 6" box elder in clump.~~
Too wet & brushy to even find large boulder S.W.
– E-W ¼ line of section 21 now perfectly straight
and final. line east now fairly open (subject to erose)
God's Acres ¼ by 1/5 ?
¼.00 set ½" set post in mound of
~~rock~~ Earth & set. Depositing charcoal
mixed trench & pits planted Osage
Orange seed W.W. & SE

#542206 (3)

1/4 CORNER 21-22 HIGH FOREST 105-14

10/12/88 FOUND CIM LEANING NORTH CHECKED RP TO LARGE BOLT ON WEST SIDE OF ANGLE IRON CORNER POST SOUTH DISTANCE LONG, DUG AROUND CIM PLUMBED SOUTH & RETOOK RP TO BOLT ON CORNER POST SOUTH 32.79', NEW RP 3.65' EAST TO PUNCH MARK IN NORTH END OF CMP, SET SIGN & POST 1.0' NORTH OF CIM