X 8-30-71. found limestone set steel post by stone (1)

section corner 23-24-25-26 Hi Forest 10 5-14
#542405
6-1899 St Fraser P 659 no 587 S26 Town Board.
Corner gone. found stump of SW BT aveed by Mr.
Kelly as B T used by other surveyors and that fence
running south across river run to that area.
set stone 2 x 8 x 23 at point placed by B tree.
this B Tree has 3" elm growing from stump also
an 8" willow came 6 links west of corner.
Corner comes in dry run.
- meas west 40.15½ (2650.23 to ¼ 23-26 a stake
set M & L (also stone set 33' west of this corner ¼ 23-24
- meas south 40.20 (2653.2' To stone set in place
over)

of possible stake remains aneed by Patrick Kelly and Robt Stormer as true corner which came. in line N & S fences.

1938 Co Hwy Dept B10 3. No Meas. P5
found 2 pointed limestone 4"x8" old stake N side
Spike in 20" Maple W N W 31.0
" 8" boxalder S W 37.3
Meas "north" 26 31.0
12" elm. fence terminal 2' south & 6' east

8-30-71 Co surv. found recorded size L stone, badly separated by frost & moisture abont 12" deep. drove back with farmer land owner guiding trail not easy to find way to corner area. set 4 staged steel fence post on south side stone.

Card #2. 23-24-25-26 High Forest 105-14. (2)
#542405

Corner still comes in natural drainage dry run.
with high land SW, NE, N and NW draw runs
WNW to ESEly. at corner area.
29.7 NNW to lightly blazed 9" iron wood on higher ground
31.0 WNW to large tree used by CoHD as RP in 1938
only tree is decidedly an elm, not a maple.
37.0± SW to half dead 16" boxelder with very live sucker
used by co HD as 8" boxelder 1938
found. elm stated as 12" 2'S 6'E of corner in 1938
now only terminal to fences N & E about 18" and really
wrapped in wires of all description very much alive.

Court Notes Yr by 1853

$0.00 Set-post-corner to Sect 23-24-25-26

Elm 20 in 5 32 W 157 Ks

Made three 4