#542605 (1)

section corner 26-27-34-35 Hi Forest 105-14
6-1892 T Fraser P 488 no 4 6/3 S 34 Sheet Mound.
corner evidence gone - Meas from 1/4 34-35 as set
to 1/4 26-27 where corner reset from SE B. trees. - thus
mile 2 lks short or 39.99 (2639.34' which threw
above section corner 19 lks (12.54. S from tree
Meas 1/4 27-34 to 1/4 26-35 which brought corner
in line large post each 1/2 mile ones 6 3/4 lks 2644.46
-16 south set large boulder stone M & L. 19.99 1/2 1319.67
-16 center N W 1/4. 34 set stone at miles lines. with cross
survey shows 1/16 west at 2003 3/5 1322.26

over.

4-30-1970 dug for stones at 1/16 south and 1/16 center NE 1/4 found many large boulders at both places piled in every direction.
- McGhie has pipe set at center NE 1/4 not on true lines by several feet.
- " accepted huge flat boulder at 1/16 south, there was many huge boulders there in wet lands none like record.
- final accepted pipe at center NE 1/4 as usable corner.
- set 1/2" x 4' pipe on lot lines from west and on line E 1/4 34 as set and 1" rod as set at NE cor 34. To be straight should go west .93' and 1.24' at NE 34. an attempt could be made to duplicate survey 1892 to reset NE 34.

Govt Notes Jan by 1853
80.00 set post - cor to set 26-27-34-35
Br-Oak 12 ins W — W 24/ 1/4 S
Br-Oak 18 ins W 10° E 24/ " "
Br-Oak 12 ins S — W 34/ " "

Sec Cor 26-27-34-35 High Forest 105-14 (2)
10-9-92 Yaggy - Colby Fd 1 1/8" Solid rod
flush with Surface as set by Co. Surv.
in 1970 (See Cert on file for Ties) #542605

2-17-98
EPA TO

" 542605" D

✓ SEC COR 26-27-34-35 HIGH FOREST 105-14

FOUND 1 1/8" SOLID ROD FLUSH WITH GROUND
0.2' WEST OF STONE WALL BASE RUNNING SOUTH.
SET POST W/SSON 1 1/2' SOUTH.
1' SOUTH OF CORNER POST TO FENCE NORTH. FENCE
EAST GONE. FOUND TIES IN 48" WILLOW +
18" WILLOW.