/ 8-23-71. set C/M over iron bar with stone around iron. (1)
#542609

1/4 corner. Center 26 Ti 7 orest 105-14

6-1899 H Fraser P 659 No 587 L26 Iron Board.

planted stone 8" square x 30" at inters lines with cross cut in top.

set stakes south for center road and stakes on both sides 33' out.

- meas south 40.10 2646.6 to stake & stone found.
- meas north 40.11 2647.26 to stake.
- meas east 40.20. 2653.2. to stone set from stake remains
- meas west 40.15. 2649.9 to stake & stone as set by SEBT.

7-1930 Co H D B57 P40 found stone Center road.
RP Oak tree NW 67.9 Meas S 26 45.5
WbP Se NE 42.0

---

Co H D B329 1967 60D spike accumed corner.
Sta 52+84.96 PI Δ 0°15'30" Rt going N.
RP 60D Sp D TP NW 46.22, Sp D PP SW 66.61
Sp D PP NE 42.27, Sp D PP SE 45.01

---

8-18-71 set nail in Center cross roads on Co H D R.P.s.
8-23-71 dug with tractor large area. road not deep found 7 x 10 x 30 limestone with 2 large 120 D nails on south side. nearly 6' south of Co H D R Ps
Set C I M. over 1" x 23½" iron bar with piece of org stone on east and west sides of C I M and all sides of iron bar set below.

See Card # 2

Card # 2. Center 26 High Forest 105-14

#542609 (2)

Meas east to C/M over stone at 1/4 25-26. 2651.35

R. 2653.2

Meas west to corner set on projected line 1/4 26-27.
an iron steel post driven to below road 2648.05

R 2649.9.

Meas south to 1/4 26-35 set on C & H D. R 2646.6. WF.

Meas and RP to oak tree west 2645.5 South

RP Center 26 C/M. 6' N to center roads E & W.

Corner in center roads N & S.

37.31. SW to small rubber Tit on S side Tel bell # 416

64.6. WSW to C & H D disc SE side PP # 10972.

over

47.6 NE' to like hillcap on NW side PP# 40298

41.93 SE to CoHD disc in PP # 10974

---

7-21-92 FOUND PK NAIL NEAR SURFACE OF CRUSHED ROCK INT CR # 120 + TWP ROADS. PK WAS 0.05 S + 0.10 E OF CIM FOUND CIM DOWN 14" IN CRUSHED ROCK IN GOOD CONDITION. THE CORNER FALLS 7' SOUTH OF ℄ 20TH ST NE + IN ℄ OF 15TH AVE NE.