X 6-11-71 set C/M over 1½"x13" pipe. #542905 2. (1)
section corner 29-30-31-32 7th Forest 105-14.
4-1884 Hunter P388 no 379 S 31. 2nd E Mayo.
Corner gone, B trees gone "root & branch".
-meas from NE cor 30 (Stone) to E¼ 31 unmarked stake
meas 119.62 short 38 links - or 39.87⅓ 2631.64
-meas from NE cor 32 west 80.40 chs which was
govt mede-th-west to NW 31 an assumed point covered
by a Munson as orig location. 79.30 or 30 lks short.
39.85 2630.1 39.45 2603.7
Lowener - on evidence of road fences & pioneers testimony
set stone as corner at 80.40 & 39.87⅓. set stake -9.97 west for PI
10-1888 Hunter P425 no 414. S 1930 R Sage. found corner P388 Corner "N" by survey. stone in center road. 6.75 chs south
- meas north 39.87.
- meas west 39.85 to stake found P388 - set stone by side at 5'630

6-1892 Thos Fraser P491 no 465 L28 Tom Kelly, Mike Dokalue.
found stone set by Hunter P388 in
setting L W cor 28. - meas L W 29 to L 1/4 28 short 4 lks
L E 28 set Iron pipe 3 x 3 x 14 lks. 39.93 67 / 2635.82 (Sec 29) 80.40 — 7990 (Sec 28) chn. 5304.66

6-1892 Thos Fraser P480 no 457 L30 John Logan & others.
found stone set P388.
- meas north 39.86 5/8 to stake set M & L.

12-1915 J Kerr P242 "B" L31. Brun estate.
found corner. - meas south. 2635.9 to M & L 1/4 Cor.

6-1968 J Kerr. drove 1/2" rod at county point called
P I & curve. or about 50' north & black top on curve.
Disc PP NW 46.47. - corner lies west edge black top
" Boxelder NE 51. apron in roads it is a P I &
this corner about 9.6' too far west.

#542905 (2)

Card. # 2. section corner 29-30-31-32 Ht Forest 105-14

Data on county PI at above corner.

Station at PT east 96+68.12. } 2241.32
Station at 1/4 29-32 119+09.44 } 418.35
Station PI 92+67.42. 2659.67

R 2652.32. M&L
R 80.40. 5306.4.
Rec 2⅔ Chs. 1.76

Δ 28° 40'
D. 3° 30'
Tang 418.35.
L curve 819.05
Ext 52.59

RP to PI
Dist in PP # 10813 NW 46.47
Dist in boulder NE 52.42
John Kerr set ½" rod by above RPs in 6-1968.

119 + 09.44
96 68.12
22 4 1 3 2
4 18.35
2659.67

6-11-71 RPs To C/M set as corner.

MAG & disc on W side boulder (old PI. ne	NEly.	50.81
- old co disc on E side power pole # 10813	NW	48.4
- punch mark on top lag east end road gate curb	SE	28.04.
same west "	SW	24.3.
NW corner house block foundation.	NE	132.42
- external of road curve	SSEly	51.0

- Meas N 2630.65 M & L.
- set 13" x 1½" pipe below. C/M. corner. 18' north and 2.85 east of co PI rod.

Card # 3 29-30-31-32. High Forest 105-14

5-10-1970 Co surv. set lath 9.6' east of PI rod found. (3)

- set lath 4.8' east of 120 Ø at ¼ 29-30 and nail. #542905

Meas from C/M at 19-20-29-30 south.

- found 1/16 fence running east (set nail) at 1315.4 R 1315.58

- meas to nail set 4.8 east of 120 2630.65 R 2631.17.

- set nail on line of 9.6 east of county PI at 5261.0 R 5262.34.

Note Hunters orig meas when both section corners were set

Hunter each ½ 39.87 ⅓ 26.31.64, Thos Fraser 39.86 5/8 26 31.17

R P to nail set at 5261. Disc Belden NE 47.57. - 16 Ø driven in disc

Disc in PP # 10813 NW. 53.45.

County PI is not corner, none found, corner may lie very near on tangent for N-S and 9.6' east may be a little to far east

OVER.

5-13-1971 dug for corner just east of PI guided by line and meas from NE 30 meas and projected over 1/16 stone south. Clay subsoil just below road surface indicating road cut quite deep in years since 1915 when corner last seen. left 1/2" rod PI set 1968. Will search for 1/4 29-30 stake set 1892. otherwise may set by above line

---

6-11-71 Could not find any trace of 1/4 29-30 - proj. line from W 1/4 30 found over center 30 found. hit exactly on .00 nail from north 2630.65 - so re run aerial from NE 30 over 1/16 stone line & nail set as 1/4 29-30 to area SE 30.
- set C I N on this line at 5261.3
- corner comes 2.85' east of county PI rod. Team and about .18' north of " " " Card 2 -

High Forest Section corner 29-30-31-32 14

Govt Notes Jan by 1853 #542905

80.00 Set-post-cor to Sect 29-30-31-32
Mound of earth + sod, deposited charcoal in
made trench + pits, planted Osage
Orange seeds NW + SE