/ 6-11-71 set CIM over 3/4" x 12" rod M&L 2630.65 (1)

1/4 Corner 29-30 Hi Forest 10 5-14

10-1888 Hunter P425 No 414 L19-30 - R Sage #542906

corner gone - B trees gone - set temp stake

M&L. 39.87. 2631.43

D to 1 shot 1/4 L

7-1903 R Fraser old fieldbook #10 P19 stakes "D" H to 1 over 1/4 L (found center).

6-1892 Thos Fraser. P480 No 457 L30 John Logan + others

Corner gone no evidence or knowledge.

set perm. stake M&L 39.86 5/8 2631.17

-16 north. planted stone boulder M&L 19.93 5/16 (1315.58

6-1968 J Kerr road line for town board.

tried to establish line from NE 30 south.

line from Co PI at L E 30 too far west. over.

set 120 D on <u>direct line</u> NE cor 30 and County PI at SE 30 - it lies in center of E-W roads, and within 2' ± of west edge road south. down 1" ±
used temp point 4.8' east of 120 D as line north after measuring from approx center 30 east. corner stone at SE 30 must be found bfore setting corner.

3-10-1971 Co surv. found 120 D set nail & tack 4.8' east also tack 9.6' east of PI at SE 30. dug up & raised C I M at NE 30
Meas south - found 1/16 fence east at 1315.4. R 1315.58 T Fraser.
- found nail set 4.8' east at 2630.65 R 2631.6
- found N school fence running east at 3837.27. RP Rec BE NE 47.57
- found 1/16 fence running west at 3941.25' / Rec RP NW 53.45
- set nail on 9.6' east of PI at 5261.0. (10813)
Note school yard fences. from line run N-S east 149.'
North " " " running east to 1/16 fence west 104.'

Card # 2. 1/4 29-30 Hi Forest 105-14. #542906 (2)

5-12-1971 Co surv. dug for 1/16 stone north of 1/4 29-30 found. round boulder some 12 x 12 x 16" about 26" below road surface. 1.8" west of line betw C1M at 19-20-29-30 and point 9.6' east of County PI. rod. at 29-30-31-32 and .2' North of 1315.4 or 1315.2 from C1M R 1315.58

- drove 1/2" x 2' rod at corner with brass etc.
- 2 1/2" well braced steel corner post RB tie corner post east edge of fence N & E
- Pepsi cap in Ab Pole marked 1/2 SW side
- Pepsi cap in Power pole # 10825 SE side
- Center 24" old pine (easterly of south row) other smaller. 7' N of west 180 ± RP 1/16 corn.
- 4' west of center road. In exact line fence east, slightly N of new fence W.

W 28.4
E 33.2
SE 56.8
SW 36.3

point 4.8' east of 120 B used for random would now be 1.2 east and as 120 sta. 2630.65 would be 2630.4 or .25 north of 120.

5-13-71 dug at 29-30-31-32 thru blacktop about 2.4' east of PI iron. centering about 5260± clay right under road. big road cut for culvert etc. a hopeless lost corner. will set after search for 1/4 29-30 stake

6-11-71 after finding W 1/4 and center sec. 30. proj line east direct intersects rail set at 2630.65 so set C 1/4 there at point of line from NE 30 over 1/16 stone south. No mon center to cor. or east. N & S 2630.65 M & L. Set 3/4" x 12" reinf. rod below.

- Corner 4' west center N-S roads.
  Center of E-W roads.
- Pipe cap in wood tel pole with cable down No 213 by pole NE 52.1
- Pipe cap on SE side power P.# 10821. SW 54.55.
- punch mark on top cutb apron clamp. 24" galv End SE 34.65.
- " " " " " W " SW 30.82

#5412906/3

High Forest 1/4 corner 29-30

Gov't Notes Y.L. 1853

40.00 Set a 1/4 Sml post

Bur Oak 10" N 85 W 29 1K5

Bur Oak 12" N 78 E 100 1K5