1 6-14-71 found stone - set 5/8" rod. CIM set 5-9-1973 (1)
#543005

section corner. West 30-31 Hi Forest 105-14.
east 25-36 Rock Dell 105-15.
4-1884 Hunter P388 no 379 L31 2½ E Mayo.
no evidence of corner, B trees gone, mr a Munson avers it stood originally at corner of brush fence, ~~E&W~~ running east & ~~west~~, used the corner of fence for meas east. 39.45 to N¼ 31 2603.7
then 39.85 to ¼ E 31. tot 79.30
2630.1

10-1888 Hunter P425 no 414 L19-30 R Sage, H Hurlburt found stubs of old stakes in road close together & ribes just under road surface on line brush fence running east. as in P388 - set boulder stone in place of old stake with old stake by its side.
- meas north 39.98 to stake & stone W¼ 30 set M & L
2638.68

11-1905 (Armstrong P 102 B d. 31. Z K Russell. found boulder stone in center running west. (Likely abandoned row) and on east side of N-S road, stone as recorded P 4 2 5 by Hunter.
- Meas south. 39.70 to boulder stone set this survey 10 x 12 x 15, set N & L.

5-13-71 found ½" reinf rod in center W-S-N roads. Meas from. nail in center road at W 19-30 proj. from east ¼ 19-30 (iron post) and ⅛ stone west. found iron at 5269.26. R 5277.28 and Nail at W¼ 30 at 2636.38 in line fence west R 2638.68

(S) 5' south of rod for aerial line east direct to sight on or very near PI rod - set iron at S¼ 30 area. temps tie in.

6-9-71 found stones at W 19-30 and W¼ 30 which line of 5-13 would place corner. 3.01 W and 2.27 S of iron rod found. hill dig.

#543005 (2)

Card # 2 W 30-31 High Forest 105-14
E 25-36 Rock Dell 105-15

6-14-71 Co surv. dug with tractor found boulder.
8 x 10 x 14 a very deep 6 corner, no stones of any size
down well over 3' 3.2' west and 3.47 south of ½" rod.
set. 5/8" rod as temp corner. removed ½" random rod.

40 D in center W side. 24" ash tree SW 90.63
40 D in top corner post NW 53.76
center No. plate in P pole # 41470 NW 52.54
" in south end 15" road culv center SW 31.5
" north " " NW 35.76
Meas North to stone at W¼ 30 2636.9 W¼30 N 2635.7
Meas south to stone at W¼ 31. 2636.45 W¼31 S 2633.43

Meas. east to C/M set at 1/4 30-31 on intersection of lines from N 1/4 30 over center 30 south & W 30-31 to 28-29-30-31

actual 2599.85

R 2603.7

McAbee Rod to rail	2490.0
rail to 1st joint	103.85
rod to steel post	3.2
1st joint to true N-S line	2.8
	2599.85

5-9-73 found rod set C/M. over stone and 1/2" x 16" ± rod. took 2 new RPS.

53.7 SWly to SW corner metal tele boat post 5/0

49.9 5' N & E to top center refuge sign post.