X 6-25-71 set C/M over drag tooth & stone found. (1)

#543204

1/4 Corner south 1/4 32 Hi Forest 10 5-14.

5-1878 Hunter P343 No 337 S4 H D Morse & others used line fence north to find stake at North 4-5 sec cor. where stone 3 x 6 x 14 set. Then set stone 4 x 10 x 16 8.25 chs 544.5 east as S 1/4 32. This mear recorded 1857 when brick org stake standing in a survey. This stone set on range line between NW cor 4 as found & set to S E cor 32.

- Mear S 1/4 32 to S E 32 39.96 2/3 chs. 2637.8

12-1915 J. Kerr P242 B field book — 11 P23 S31 J. Brinsfield found corner easily no description. used to set S 31-32 1/3 dist 2636.66 and bore to burp cor S W 31.

1960 DuVal Munn Hwy Dept R Greatly assumed corner N-4-5 104-14

set 3/4" iron, no mention of findings

MHD disc 30" oak N W 70.8 wrong.

" stamps S W 44.7

2" S Govt monument in fence N 30.8 S1/4 32 10S-14

6-3-71. projected line from S1/4 31 over C/M set over wagon ahead - S1/4 31 proved .14' north of direct line. SW 31-SE 31. 2633.52 act betw S1/4 31 and SE 31.

- set nail at 2089.08 in area of N 4-5 (2633.5 - 544.5 = 2089.0

- cont to nail in E edge drive edge ditch east 2614.08 left ahead

6-8-71 proj line from C cor at N 3-4 over C cor at N 1/4 4. meas 2687.8. R 2687.85. - set nail at 2141.45 from N 1/4, which would be 2687.8 - 544.5 - 2143.35 to be. record of act meas

see card 2

Card # 2 S 1/4 32 High Forest 10 5-14. (2)
#543204

6-25-71 dug with tractor found bottom 9" of 4x10x16 stone with Coal below and drag tooth on N side
- set drag tooth below stone with C I M above 5" deep.
found stone 17.91 E of 2614.08 or 2633.0 from W sec. & C I M
" " 15.4 S of line from west
Making big point in S line 31 and S line 32.
- found stone 3.65 N of 2141.45 and 1.23 W or 2142.68
- proj. orig line west found orig nail set at 2676.6 (6-8-71)
- Drove 120 on this line 544.5' west of C I M set S 1/4 32.

Knob nail at 2676.6 ties 533.92 west of C I M. 120 should be 10.58 west and north. 3.65 ± according to line of S 32-33 were found.

RP to stone & CIM at S¼ 32 Hi Forest 105-14. S¼32 105-14

- hard conc nail on NE side PP# 11022 level top rod SE 29.2
- MHD disc in S side tel pole. (not set by MHD) ENE 86.46
- long hard conc nail thru Horse Cage E side of # 11023 power pole with transformer in farmyard, just E of N 141.25
- Corner lies 3 or 4' north of Center old road west.

Meas west to N 4-5 CIM over stone 104-14. 544.1 = elev. 544.15
" " " S 31-32 105-14 CIM over stone 2633.03.

6-28-71 dug & found stone & crushery at N-4-5
came 544.1 west of S¼32 as set R544.5
Line from iron at N 3-4 over N¼4 fell 3.65 S of stone found
" " " " " " " " 6.0 S of N-4 stone found