X 5-27-71. set CIM over orig wagon skein & ⅝"x18" rod (1)
section corner. south 31-32 Hi Foust 10 5-14.
4- 1897 H Fraser P608 no 553 S 31 Town Board
found stump of NE BT and remains of stump of other
BT. set corner by govt field notes.
set wagon skein as corner.
#543205
- meas west 39.93 to ¼ cor set N & L.

12- 1915 J Kerr P 242 B S 31 John Ryan attorney.
dug for corner twice found rocking
run line S ¼ 32 to S W 31 (two cor) set corner on line and
⅓ distance. 2636.66'.
set rod 2' long with eye on each end. driven through

Cast iron gear on top of which set a wagon skein.
bottom packed with rock & broken crockery.
- Meas North 2635.9 to corner set. MLL

3-1960. DuVal Minn Hwy Dept.
found wagon skein - 9/4" rod riser

~~MHO Dice fence post NW 80.9~~
~~" " power pole NE 67.4~~ 67.5
~~" " " N 33.5~~

~~Co Hwy Dept 1941 B 109 pk 1/2" bolt 6" south lot post N.~~
~~362.8 east of N'45 (check carefully, error possible)~~
~~Big wood 363.7~~ 104-15

5-27-71. highway 90 now built. local road raised to accomodate school bus turn around - road built up 18"
all RPs gone but 1 power pole

see card 2.

Card # 2 section corner south 31-32 Hi Forest 105-14.
#543205 (2)

5-27-71 Co surv. dug along line of remaining reference found 8" x 3/4" set by DeVal as corner riser. - found wagon skein set by D Kerr 1939. below. set CIM using DeVal rod as riser

RPS. MHD disc on NW side PP# 6003		N E	67.5
- Center RW marker	post.	S E	72.1 level
- Center Tele metal post		N N E	56.56.
- hard nail in top large guard post.		3' S of E	39.0.

6-29-71 Meas west to CIM set as N 1/4 S 104-14 585.9
Meas east to CIM. set as N 1/4 S 104-14 2088.93
11-8-71 " " " " " " S 1/4 32 105-14. +544.1
2633.03
Meas west to CIM S 1/4 31. 585.9 + 2048.15 = 2634.05