X - Set C.I.M. over Stone (iron on each side of stone) 7-24-1974 #543505 (1)

section corner. south 34-35 Hi Forest 105-14
6-1892 Thos Fraser P487 No 413 S 34 Chas Stewart, H Morse
Corner avered by Mr Mike Burne to be stake set by Hunter
9' east of fence running north. but could not find anything.
also old stump, a likely Bree would not place corner
anywhere near in range line with stone at N 1/4 2, there was
no meas given between these corners in govt notes.
- Meas from S 1/4 34 (a corner reset from BT & range line) east
2 miles to S 1/4 36 (a corner found and boulder stone ~~bear~~ stoped).
sized 4x10x18) this meas 9 1/2 lks (4.95' short or 1.26' per 1/2 mile.
- found. twp corner at NE 1 104-14. and with govt meas
found stake at S 1/4 36 thus establishing this corner
for meas west. The N 1/4 2 set by Freman. 30 years previous
(over

is too far north. when SE cor 34 set at 1/4 mear. 39.98+
(2638.74' and on line (S 1/4 36 - NE 1) and (NW cor 2, S 1/4 34)
corner then set B T stump which Mr Tube owned when line
standing marks were plainly visible. This made mear of
S 34 5/8 chs. (352.85' from N 1/4 2 and corner set as S 1/4 34-34.
- no mention of N 1/4 2. reset on line or not. or mention of
what set at S 34-35 but stone found in 1902 likely set.

5-1902 W Fraser P 16 B S 1,104-14 - S line 34-35-36
John Beach, Robert Sutan, John M'Bride
found stone set as corner.
- mear west to N 1/4 2 (stone in 4 rod) 5.76. (353.76'
- mear east to stake set M & L 40.00 (2640.

see Card # 2.

#543505

Card # 2. south 34-35 Hi Forest 105-14. (2)

12-1910 Chas Larson P144 B. S35 John Beach.
found stone and stake.
- Meas east 40.00 (2640' to stake found set by W Fraser.

7-1930 Co H+D B57 P4. found limestone & road.
with 1½" x 8" stake on east side (1½"x8" could be stone size)
- Meas east 5284.3. (Check these meas) both could be correct
- Meas east to drag tooth accepted as corner. 2639.8. 8" dep ne S¼ S35

1965 McGhee & Bettis used & found corners for work
west and south numerous times
set ½" pipe with rod below bent to center over stone

(over

4-30-70 found irons & stone below. left stone set ½" rod over stone until grading etc completed.
angle N to west 90°00½' - links fence north - 1' S of L.
bottle cap in tele pole, east side, junction box no 414 NNE ~~37.66~~ ~~36.55~~
30 D nail & red rag driven down on ~~E~~ S PP SSW ~~37.10~~ 31.91

8-24-71. Meas east from ½" rod. - took additional RP a 30D nail in top of corner post north "in place" N-28.4
- set nail just E of fence south at 998.69 record-
- found 2"x 3/8 concreted in angle braced cor post. at 2641.0
- found top wire fence south at 1371.48? no definite fence north.

7-24-1974 Co Surv. - ½" rod gone - dug down to limestone and set CIM over stone with pieces of iron on E & W sides of stone
R.P.'s Bottle cap in stub Tel. pole - N.E. 36.66'
nail in E. side large P.P. - S.S.W. - 31.91'
Center 2" pipe - Most Westerly Post of Backstop - N.W. 97.64'