/ 8/13/80 SET CIM OVER ½" IRON #550106 (1)

¼ corner 1-2 Rock Dell 105-15
Set by Michael Kerrick - 5-1854
4-1876 Hunter P291 No 286 Dl Knut Larson
found old stake in road. BT & gone but depression where
NW BT was grubbed tested stake found as true corner.
set boulder 8 x 10 x 24 in its place - no mene.

1960 B 242 P5 set 60D spike as corner.
RP Disc in PP W 49.18
Hub NE 96.05
Hub SE 97.89

Sta 341+73.0 PI Δ 0° 10' Rt from Δ.
Mess Δ 1½ miles 7927.75

Set by Michael Karrick 5-1854

7.35 Creek 10 lks wide runs NE
46.00 Set temporary 1/4 quarter section post { ~~Jack Oak 12 N 48 W 48~~
" " 10 ~~S 25 E 56~~

63.00 Creek 40 lks wide runs E & leave timber E-&W.

39.70 S 12' E on true line between sections 1 & 2 set quarter section post. { Jack Oak 12 N 48 W 48
" " 10 S 25 E 56

11/1/78 Corner comes in cut in Co. Rd. 15. Dug from nail for 4' West, 1' East, 3' North, and 3' South. There was 2' of fill to clay and bedrock. Found nothing.

Nail } 10.0 N
10.0 W

8-13-80 (1980 Remon BK) 1/4 Cor 1-2: Set a CIM over a 1/2" x 19" Iron. This corner set on line between the section corners and in line with the fences East and West and is ± 11' E & Co. Rd 15

RP's: CS Disc in PP # 7337 West 60.41
Corner in line of fence West and East & ± 11' East & Co Rd 15

1/4 CORNER 1-2 ROCK DELL 105-15 (2)

#550106

6-27-96 FOUND CIM ON EAST EDGE BLACK TOP CR #15. SET REF PIPE W/CAP EAST OF CORNER ON BLACKSLOPE CR 15

T@ REF PIPE
SRT P.K. IN PP # 7337 SWLY OF COR TO 1/4 COR 1-2
6° 05' 53"
TO 1/4 COR 1-2 HOR 57.905

FOUND CSD IN PP # 7337 WEST 60.40
& CR # 15 WEST 12'

REMOVED CIM 6-27-96
10-24-96 CHD SET 1" SA PIPE W/CAP