1 10-26-73 dug with backhoe angle iron gone, now sand knoll, corner lost, nail removed ①

¼ corner 9-16 Rock Dell 10 5-15

6-14-85 set 20" C.I.M. over 5/8" re-rod #550904

6-1875 Hunter P 280 No 277 & 9 Peter Hogenson & Alleson etal.

found short stake in center road avered by Peter Hogenson to be where orig ¼ stake stood

B trees grubbed and gone.

-1/16 east set stake N 0 L 20.02. S 89° W.

-1/16 west " " " 19.94½. S 88°55' W.

7-1966 J Kerr to find corner east for grading North. drove 120 D in center east-west road in exact line & fence south, 41.8 from line of E-W fence on south side road.

Meas east drove small nail in line fence south at
1/16 corner. (record 1321.32) actual 1320.73 to fence line
doubled distance but found stone at 1316.85 or
2637.58 from C1/4 SE9 to 120 D in line fence S at 1/4 9-16
this indicates 1/16 fence off some and recorded chainage different
(land fairly level) or 1/4 cor should go west.
(the section corner west should be replaced first (from west).
over 1/16 stone on south side of SE 1/4 8 good chance it would be there.

---

set by Michael Karrick 5-1854

5.20 Creek 6 lks wide runs North
40.00 Set quarter section post { Burr Oak 8 N 9E 101
Black Oak 12 S 45E 160

9-20-84. 1/16 East: Dug from t.n. (set in ℄ road and
in line with Fence ON) for 5' East, 3' South, and
4' West [hole 1' North, 3½' South, 3½' East, and 4' West
at the bottom] by 6' deep to clay. Digging to cover

#550904 (2)


1/4 Corner 9-16, Rock Dell, 105-15

9-20-84, 1/16 East continued: line between the section corners & 1' North of line between section corners since Hunter shown 0°05' kink North at 1/4 Cor 9-16. Very good condition but no stake

2.1 S. of No. 1

9-20-84, 1/4 9-16: Dug small hole to cover line and 2' North of line since Hunter shows 0°05' kink North here. Dug in line with N&S fence and W'ly to cover T.H. marked location (2.31 W.) Area on hilltop & cut. Sand down 1'. Dug North to So. edge hole dug in 1973

9-20-84, 1/16 West: Dug from traverse nail South for 5' by 4 1/2' to clay. Old road 3 1/2' deep. Found top of stake by stone running down 1', well



into clay. Stake 3.9 So and .2W of trove nail.

stake } N 3.88
E 7.50

5-21-85, 1/16 West: Dug on North side of previous hole. 7d. good stake with deep hole, down 4'. Drove RR spike in hole. Appx 5' North of stake found last year. } LRP S. 5.02 SE 9.27

5-22-85, 1/16 East: Dug from N. edge previous dig, North for 4'+ (in line with fence Nath). No old road, but @ top of black dirt line, found about 4" of wood that could have been remains of old stake cut off during construction.

wood } So 9.3
W 9.0

#550904 (3)

1/4 Cor. 9-16 Rock Hill 105-15

6-14-85, 1/4 Cor 9-16: Set 20" CIM over 5/8" re-rod as corner on line between SW 9 (CIM) and SE 9 (CIM) and @ T. Hunter's prorated measure between SW 9 & SE 9.

Corner 4' So ℄ E-W road, 3' West fence line South, and 2' West of fence line North.

R.P.'s;

C.S. Disc in E side C.P. NNE 37.88

C.S. Disc in E side gate post NW 43.76