6-25-1965 set C/M. with 3/4" x 14" rod below (set) ①

1/4 corner Center 17 Rock Dell 105-15
#551709

6-1895 H Fraser P579 no 529 S17. Marcus Wing etal.
drone stake with boulder stone by its side at true
inters lines. N-S 1/4 line bearing N45'E
- Exact set stake M&L. 19.91 = 1314.06 N 88° 50' W. (1314.06 R)
6" Burroak. 17 lks N & 1 lk east of stake. 11.22 ft.

6-1965 J Kerr.
run & meas E-W 1/4 line to black top road east. looked for
1/16 cor east. it lies on partial hillside subject to wash.
dug 6'x10' at Center 17 after running line for center: found some stones
none seemed to be corner. line brings corner 9' south of fence (over

east half recorded as 2628.12 - West half 2645.2 mean
record mean.
- mile mean 5273.0
- old fence south at 3959.0 from west R 2645.2 + 1314.06 or 3959.26
finally set C/M on line as near as possible
.00 west end $19.31 center $38.5 at east end assumed.
Corner coned come 5' west center black top road.
- meas west to 1/4 cr. 2645.2 east 2627.8
- found real old post at 2647.' in fence line at 12' south random line
- set C/M 4' south fence in field
Hub & nail in 18" cherry in fence line east 142.25
1¼" x 41½' standing pipe north 4½'
Iron down 12" - 1/16 fence west running south, a true line
fence at least 11' too far east and 6' too far north.
R North line W½ 17 2643.68, South line W½ 17 2647.92 Mean 2645.78.
as west line straight & center straight corner near right.

1/4 Corner Center 17 Rock Dell 105-15 (2)

#551709

6-1981 County Surveyor set corner on paper. See Drawg 4-62

¼ Corner Center 17 Rock Dell #551709 (2) (3)

1-1981 This CIM (Kenai) is not on the E-W
¼ line after we found E. ¼ Cor 17. Must go .31 So