1 7-21-71 set C I M. over stone and iron. #552306 (1)

¼ Corner 22-23 Rock Dell 105-15

4-1878 Hunter P 33.4 No 328 S 23 Haus Arnundson E.C. Schow

found remains of old stake in mound with one pit visible, set stone 6 x 10 x 20 in to place.

-1/16 south set stake M & L 20.01 ¼ N 1° 10' E 1320.82

-1/16 east set stake M & L 19.88 ½ N 89° W 1312.41

-1/16 center S W ¼ 23 set stake true intersection

- Meas north 40.01 2640.66

plat in armstrong book place stone size as 6 x 12 x 24.

(one1)

5-1-69 J Kerr
Meas from line fence west north, found 1/16 west at 1325.
blaz to point 53.6 south of tang line east 2646.3

5-21-71 Co surv. did not meas line north to rod again
- set nail in center road in eyeball line of fence west as.00
1969 meas north from fence west to rod set as corner by
Munn Hwy notes 2646.3 R 2640.66
- 5-71 meas south from nail in line fe. west as 00.
- eyeball fence running east (prop line 13.22.5 R 1320.82
- cont meas south to nail set center very old level inlets of
cross roads 2634.0 (Massive rows of evergreens N & W
would do well to test at 33' from there. Nail has RPS R 2641.64
Evidently one end or other or both off considerably.
finally found. 22-23-26-27. 7.27 S of nail & 1.2'

See Card 2

Card # 2. 1/4 22-23 Rock Dell 10 5-15 (2)
#552306

7-21-71. dug with tractor quite extensively, finally found stone record size 6 x 10 x 20 1.2' north - 4.6' east of nail. set C I M over stone and iron and glass

Meas east to iron set as center 23 R 2624.82
about 2624 ± log and tall corn without transit line.

Meas north not remeasured, fence #2646 ± in 1969 to iron north.

Meas south 2642 47 To stone R 2641.64

RP. 41.5 S E to Twp cap N E side PP # 24801

82.5 S S W to extreme N edge 15" field culv at splice log ends

52.0 W To repair cap up 4' on N side 7" cross fence

corner 1' N of fence west post & new fence west.

3.5' E of center road

set by Michael Karrick 5-1854

40.00 set quarter section post in mound with trench, pits, charred stake and Osage Orange Seeds NE. & SW.