1 7-19-71 set 20" iron over orig stone. #552405 (1)
6-13-74 reset C F M over ½" x 18" rod
section Corner 23-24-25-26 Rock Dell 105-15
4-1878 Hunter P 334 No 328 L 23 Hans Amundsen
found remains of old stake in EC Schon
center road. with stone by its side, tested by stump
of NW BT correct in distance but not in bearing.
set 6 x 13 x 17 stone in its place with old stake by side.
- 1/16 west set marked stake 19.98 N & L.
- Meas north 39.97 1/2. To stone set to replace stake.

plat of L 23 in Armstrong book shows stone size 6 x 13 x 17.

4-1878 Hunter P 335 No 329 L 24 Hans Amundsen et al.
found stone P 334

over)

-1/16 north set temp stake M&L 19.98 3/4 1319.18
-1/16 east set stake M&L 20.0 1/2 2638.36
-1/16
-1/16 center SW 1/4 24 set stake intersection.

5-21-71 Co surv. set 40 D in center cross roads as.00 for
Meas E-W-N. RR rail 42.9 SE to stake on curve up 3'.
Meas E-W-N. RR rail 53.0 NE to tele cable warning post.
- meas east to eyeball fence north 2641.6 R M&L 20.00 1/2 2646.6
" 20.00 1/2 2640.66
- meas North to eyeball railroad & road in line fences E&W 2641.9 R 2638.35
- meas west to eyeball bushy unfenced prop line & referenced 2637.05 R 2637.36

7-19-71. Co surv found. 6x13x17" boulder as recorded
down 3' - set 30" hedge spike riser.
Meas east to stone found 2641.4
Meas north to stone found 2637.77
10-25-73 E 2638.66
Card # ~~2~~ RPs.

Card # 2 section corner 23-24-25-26 R Dell (2)
#552405 1-25-15.

RP to bridge spike set over corner stone

52 ?
~~62~~.35 NW to Center S side metal tele post
52.35 — 1974 checked
55.68 NNW To ⁂ in W end 24" road culvert
52.72 NNE to " " E " " " "
49.42 NE to W edge cable warning post bottom edge sign.
45.4 SE to staple on ground wire of
power pole # 7 to 34 up 3'
10-25-73 exact mean north 2638.66 R 2638.66
then north to RR spike set at 13-14-23-24 2643.93 R2643.93

Set by Michael Karrick 5-18-54
80.00 set post for corner to sections 23, 24, 25 & 26
Burr Oak 6 S40E 200
" " " N70W 329
Dug trench.