/ 120 D at 2.55 E .4 N of N¼ L #552706 (1)

¼ Corner 27-28 Rock Dell 10 5-15.

7-1893 H Fraser. P 523 No 488 L 28 Frank Roeder.
Peter Lee.
Could find nothing at this corner. so Robert Magnuson.
set iron stake as corner N & L 3999

7-28-71 Co surv. set 40 D on transit line in line fences E & W.
8-6-71 dug entire road 8' N & S found nothing.
8-9-71 found center 28 ran aerial E & W which came.
2.6' south of nail in line fence.
8-12-71 found stone accepted as 21-22-27-28 which came
4.6 west and 5.3 south of nail in center cross roads
8-13-71 dug again west and found nothing.

over

total mile between 21-22-27-28 as set and large stone found by W. Fraser (not Hunters corner) at 27-28-33-34.

5285.9. - Midway would be. 2642.85

120 D now set in place orig nail would be. 2643.15 from W. Fraser corner south. or corner should go .4' south. and 2.55 west. ½ of 4.6 (2.3) + .25 ½ of .5 diff at S 27-28

No RP to 120 D which is on center road in line fences E&W.

4.6 is mean that 21-22-27-28 was found west of 00 nail.
.5 is mean that 27-28-33-34 was set. west of 00 nail.

as to be M & L set ¼ 27-28 west 2.55' south .4' of 120 D
2642.85

or better get re run & re- mean line with T2 and elec. meas.

10-10-73 better get as 28-29-32-33 found and of ¼ 28-29 found. then 20-21-28-29 can be set or found then 21-22-27-28 can be re-set exactly. doubt of W Fraser cor is in place (huge boulder 27-28-33-34 may have to be accepted as true corner. as found

#552706 (2)

1/4 Corner 27-28 Rock Dell 105-15

Set by Michae Karrick

40.00 Set quarter section post in mound with trench, pits and charred stake and Osage Orange Seeds NE & SW.

45.12 Road bears N.W.

9/25/90 FD 120d SPIKE SET (1971) N E N-S ROAD AND LINE OF FENCE EAST