X 10-10-73 set C/N over stone found. Cert 3-14-75 ①
section corner. 28-29-32-33 Rock Dell 105-15
6-1875 Hunter P282 no 279 L 32 C Roeder, A Petera.
found mound & pits in road left as is. #552805
- Meas south 40.06. N 10° W 1315.05
- 1/16 west set marked stake M & L 19.92½ no bearing.

6-1875 Hunter P283 no 280 L 33 A Petera, J Patten.
found same as P282.
1320.0
1/16 east set marked stake M & L 20.00 S 89¼ W
1/16 south " " " " 20.03 N 10° W.
1321.98

7-1893 W Fraser P521 no 487 L 33 Charley Roeder.
found stake set in center road. P283 set stone in
place of stake 2 x 9 x 18. (stake drive 9-1876 P304 L 29)
1/16 east found stake M & L 19.98½ set stone 2 x 7 x 18
1319.07

7-1893 H Fraser P523 no 488 L 28 Frank Roeder.
Peter Lee.
Bottol Magnuson.
found corner P521.
2695.38.
- meas north 39.93. to stone set M & L

5-1896 Hunter P598 no 543 L 29. H W Backland.
Daniel Brandt & others.
found stone set & described in P521.
"with stone by its side" a caption.
1/16 west found slate set P282 in setting boulder 4x9x14.
M & L 19.91½ 1314.39
1/16 center LE ¼ 29 set stake. M & L on N-S 1/16 line.

6-1923 Starr. P392 B. L 32. Hennessy.
found corner stone.
- meas south 26 44 record. 40.06. 2643.96.

Co Hwy Dept B 262. P5 found 2x2 hub 1961
Sp D in 24" maple NE 69.15 D in P P ESE 47.66
Sp D in Cor FP NNE 91.11 this data a P I 3674.7 north.

#552805 (2)

Card no 2 28-29-32-33 Rock Dell.

10-1935 B79 P5 iron stake and 2x4 with spikes in lip
Sta 82+48.2 PT Δ 0°1' Rt going north.
Lp in PP LE 39.9 - Lp in cor post west 35.25

7-1938 ties Dirc in hub NE 99.2 Dirc in FP E 72.3.
Meas south 2641.3 To stone mon 1/4 32-33

7-29-71 Co surv. meas North from county RPs at 1/4 32-33. set nail at 2642.0 R. J. Kerr 2644.0 - Co H 2644.3 Hunter 2644.0
- cont north 2635.0 then 2633.0 R W F 2635.38

12-23-71 Co surv. meas from nail west. - dug extensively found many boulders and dug "dead man anchors" likely cause of stone absence. found very old post remains at 1315.4 R. Hunter 1875 1315.05' 1896 1314.39.
set 4' long 4" new white cedar post sharpened and driven into old post hole. threw all stones out of hole. -
- cont meas west. to iron pipe set as 1/4 29-32 2631.2 (over

reding area. at 1/4 29-32. found. old post hole and stone on S side of it lying flat & near record size 8x9x16.
- set 1½" x 3'± pipe by corner post with stone on south side practically where pipe was set 7-30-71
- did not run line as air very drizzly and foggy.

Meas from nail east toward 1/4 28-33 - dug extensively found exact record limestone at 1318.8± as recorded 1/16 cor at some 3' N of fence east, 2' E of fence south Record Hunter 1875 1320.0 N.F. 1893 1319.0 when stone was set
set ⅜" ele fence post on S side stone and long flat granite stone on S side of oak post set by iron. iron top flush with surface. no corner post in place (rotted off some 4' SW by post stone
10-12-73 found ⅜" rod bent post & long granite stone gone reset rod to center over stone with pile of powders around rod. you can't win on these 1/16 corners.
See Card # 3

RPCIM 28-29-32-33 R Dell. #552805 (3)

52.94 S'ly to "4" hole in band on top center N end 24" field drive culv on W side road.

35.5 3' N & E to same on S end of 18" field drive culv. on E side of road. both are punched hole with cross • O •

50.0 SE to conc mark chiseled on old to disc. raised 2' to be level top of black top road.

Meas North to 1/4 28-29. 2636.74 RWF 2635.38

Set by Michael Karrick

80.00 Set post for corner to sections 28, 29, 32 & 33 Erected mound with trench, pits, charred stake and Osage Orange seeds at each angle.

Card # 3 28-29-32-33 Rock Dell 105-15 (3)
Could not find nail set in 7-29-71 at 2642 from
County RP at 1/4 32-33
- dug with air hammer and shovels, found 2x2 County
wood hub 20" deep and 2"x9" top limestone as recorded
7-1893 JR Fraser P521 30" deep set C/N over
stone found and glass stone about .27 W & Co hub.
Mease S 2641.3 Ken 2644 Co HD 2641.3 Hunte 2644
Re Mease exact to 1/16 stone found 1971 1319.45 Elect.
Mease E to N-S fence at 1/4 28-33 2638.3 set
piece of 1/2" conduit in fence row under wire 20'± N & Co P
No line used in Mease - enter mile 5264.91 on ⑤ N 20'±
Corner post at 1/4 28 33 could be near correct, field rocks all around
post
tree

(22) 552805 5-26-99
mw mc R.F.

Sec Cor 28-29-32-33 105-15 Rock Dell
set Ref Pipe West of Corner
50' West of ℄ CR #3
π@ Ref pipe
⅋Rt P.K nail in pp #43604 (Pole
ESE of Corner) to Sec Cor (5289)

351° 30' 42"	352° 15' 18"
0° 03' 12"	0° 47' 50"
351° 27' 30"	351° 27' 28"

To Sec Cor 28-29-32-33 (CIM)
VA 88° 17' 02"
Slope 48.975 Hor 48.955