/ 10-11-73 set C I M in black top road over bottom of orig stone iron by it as ref. (1)

1/4 corner. 28-29 Rock Dell 10 5-15
corr 3-17-75
#552806
9-1876 Hunter P 304 no 299 L 29 Marcus Wing
Nelson Sherman.

coned not find any corner but Mr
Ed Turner anera when he set fence west of corner.
for Mr Wing. he set furst post in direct line & 2 rods
from. orig post standing.
- set new marked stake in road. 2 rods from corner post
in direct line fence west.

9-1893 St Fraser P 523 No 488 L 28 Frank Roeder.
Peter Lee
coned find nothing so set corner Bottol Magnuson.
N & L 39.99- set stone 6x6x30.
2635.38
after digging one rod square & 2' dup. 2635.58

5-1896 Hunter P 598 no 543 S 29. 21 H Buckland.
found stone P 523. Daniel Brandt & others.

1315.38

1/16 west set burr oak stake. 19.93 N & L to center 29.
a stake driven to ground surface.

8-1971 drove Conc Nail in Center road. 2635' South to nail set as 28-29-32-33 which was set 2642 North of C/M RPS at 1/4 32-33 - Meas north to Conc nail set at 20-21-28-29. 2633.

10-11-73 ran and meas from 1/4 32-33 north to 20-21-28-29. 2641.3 to 28-29-32-33 R 2644 J Ker 2641.3 Co H.D.
- then 2636.19 to stone at 1/4 28-29. R 2635.38 W Fraser 1893
dug with air hammer and back hoe. found full length recorded 2 stone 6 x 6 x 30 with stone broken and top part split and

Le Card 2.

Cnit ¼ 28-29 card #2 Rock Dell 105-15 (2)
#552806
10-11-13 bottom of stone still in place. set iron by stone with C/M other stone bottom and top of C/M level top surface of road. Corner came 3.47' west of line between 28-29 32-33 and nail in ℄ of road at 20 21-28 29 and 2636.14 north of 28-29-32 33 and 2634.61 from C/M set at ¼ 28 29 north to nail used at 20 21-28 29 - on digging again found stone of record near 6' deep 6.94 west of nail making C/M at ¼ 28 29 exactly on line. stone should have been 1.54 north of nail to be 2636.19 or N 0 h as of record no accurate meas made but stone not believed hardly half that amount

Card # 1/4 28-29 Rock Dell 10 5-15

RP G/M

79.6 NNE to conc nail on WNW side power pole up 3' # 6190

corner 3'- west of center Co road # 3

set by Michael Karrick 5-1854

40 00 set quarter section post in mound with trench, pits charred stake and Osage Orange Seeds N.E. & S.W.

(552806) 5-26-99
(20) mw. mc, R.F.

1/4 Cor 28-29 105-15 Rock Dell
Fd CIM in good Condition
Set Ref. pipe S.E of Corner
47 1/2' East of ℄ CR 3 and 12'
South of ℄ Field drive
TO Ref. pipe
ART P.K. in P.P. # 53012 (1st pole
South on East side CR3) to 1/4 Cor 28-29

123°01'10"	124°15'08"	125°19'12"
~~0°01'48"~~	1°15'20"	2°19'26"
122°59'22"	122°59'48"	122°59'46"

To 1/4 Cor 28-29 (CIM)
VA 89°09'52
Slope 59.055 Hor 59.05

To Prop Cor Pipe 2378' South
of NW 28
VA 88°50'52"
Slope 294.51 Hor 294.45

ART P.K in PP # 53012 to prop Cor

172°03'36"	173°36'38"
2°19'26"	3°52'34"
169°44'10"	169°44'04"