8-9-1965 set C/M. over ½" x 2' rod driven thru stake set 1875.

¼ Corner 29-30 Rock Dell 105-15 (1)

9-1875 Hunter P304 No 299 S29 Marcus Wing reloc Shurmax. #552906

corner missing & could not be found set marked stake

M & L 39.98 N 5'W. no knowledge of corner by settlers.

1/16 south set marked stake M & L 19.99 to stake in mound 1319.34

1/16 east " " " 19.97½ to stake set at center 1318.35

5-1896 Hunter P598 No 543 S29 H Buckland, P Brandt & others

found stone as corner with stake driven P304 underneath

drove new stake set stone on top of stake as found.

1/16 south set temp stake M & L 19.98 S ½ W 1318.68

1/16 east set stone with stake by side M & L 19.97½ to stake set 1318.35

– Mine north 39.96½ to stake & stone set P304. N 88¾ W

2637.7

8-9- 1965 J Kerr for survey at center Sec 30.
dug extensively on line fence east & west, found nothing. then
meas recorded distance from sec. corner found SE 30 dug again
and found stone with stake below. 4 x 8 x 14. witnessed by Mr Ed Spitler.
- meas south to Sec corner. 2637.46. R 2637.36
- meas east to cor post at center 29, 2638.4 R 2636.7

corner lies 3' west & center traveled road N & S.
" " 4.6 south of fence running east & west.

~~Spec in log created cor post AZ 277°46' 37.78~~ 12-71 gone

Disc in power pole. SW side AZ 148°20 88.1.

12-9-71 Co surv only! RP left meas east recorded - 1318.35
found 7 x 8 x 14 ± boulder with definate, sound wood stake underneath.
over 2' north & E-W fence. at about 1315 ± (very cold, did not
contour line) Must find 1/4 29-30 BLM and re mon & re meas line E.

#552906 (2)

1/4 Corner 29-30 Rock Dell 105-15

set by Michael Karrick 5-1854

40.00 set quarter section post in mound with trench, pits, charred stake and osage Orange Seeds NE & SW