1 6-29-71 set CIN over stone, stake and iron. #553604 (1)

1/4 corner south 1/4 36 Rock Dell 10 5-15

6-1878 Hunter P348 no 341 L6 104-14 C Goodrich & others.

Corner lays 4.50 chs east of NW cor sec 6 - 297'

a stake standing testing correct by 2 B T stamps still marked plainly. left stake as found. 6.92 + 18.88 + 18.78 - 4.50 = 39.88

- mear east to tree corner. ~~39.78 but 25.48 wrong.~~ 2632.08

much difficulty at NE cor 6. (See at court house fine print)

6-1878 Hunter P350 no 342. L1 104-15 J Pierson.

used corner to set N 1/4 1 104-15 "B" which lies 4.80 chs

316.8' west of SW 36 or 4.50 chs 297.0' west of L 1/4 36. at NE 1

Note the SW cor 36 really used as line to set N 1/4 1 but N 1/4 1

set midway. 40.20 on North line Sec 1 which lies above

distance from 2653.77 L 1/4 36.

5-1895 Z Fraser P 574 No 525 S 36 J Purser Rochers.
found remains of old stake in ground as corner drone
pew stake with iron stake and a boulder stone by to side.
1/16 east drone iron stake N & L 19.94. N 88 3/4 W 1316.04.
1/16 west drone marked stake N & L 19.93 N 89 1/4 W 1315.38.

4-1906 C Armstrong P 106 "B" S 36. W Stiles
used corner. as set by P 574
- found iron stake 1/16 east. no meas.
- 1/16 north set stone. 20.10 N & L. would dat just to check
survey in court house. writing of record near illegable.

See Card #2.

Card # 2. South 1/4 36 Rock Dell 105-15 #55564 (2)

6-8-71 Meas SW 31 105-14. (twp cor) west. set nail at 2632.0 m center road

6-22-71 dug with tractor found stone, wood stake and iron bar. used wood stake as corner as recorded.

- set C/M over corner as found 6-29-71
- corner not on direct line of SW 31 105-14 and NW 104-14
- S 1/4 36 bears south 1.13' of direct line above corners.
- 1/16 iron east found bears .25' north of direct line of S 1/4 36 105-15 and SE 36 105-15 or .31' south of line between SE 36 105-15 and NW 6 104-14.
- Meas west to twp corner NW 6 104-14. 295.3 R 297.0
- Meas east to 1/16 iron found. 1316.23 R 1316.04 then east to twp cor SE 36 1315.55 " over RPs.

RP S 1/4 36
- Center no plate S side PP # 6030 W NW 161.37
- 40 D east side 12" ash tree N 45.3
- 16 D under branch E side 6" elm. ENE 48.68
stone down 3.6' lies 1' north center road.
- west to S-35-36 2630.5 ± very little. "

RP 1/16 pipe east 1¼"x30" pipe set in place 1" iron bar found.
corner lies in line fence north, 6.5 south center road.
- 16 D on S.E. side center huge old oak SW 78.8
- NE corner Main house foundation WSW 188.55

11-8-71 Meas and ran line north found recorded 1/16 boulders with cross set by Ch Armstrong 4-1906 P 106 B at 1329.0
R. 1326.6 set 4" boles flue up 6' on S side stone as found.
- cont line north set point on prop line on S bank river at 1312. steel post by side

#553604 (3)

1/4 Corner South 1/4 36 RockDell 105-15

9-1853

40-00 Set qr sec Post

White Walnut 10 N 26° E 20 lks

Black Oak 10 N 20° W 36 lks.