1 5/14/92 Set CC/telspar pipe #611404 (1)

1/4 corner 14-23 Dover 106-11.

J Crippen.

5-1881 Hunter P 369 no 360 S23 J Fraser, N Zacks found stake + 2 boulder stones, set quarry stone on top.

- meas east 39.87 1/2. 2631.75
- meas west 39.86. 2630.76
- 1/16 east. set stone 19.93 3/4 (1315.9) M&L.

RR notes 36.76 south to ℄ rails 2426.2. T.H.1869

GOV. NOTE 1853- ~~J BALE~~ William A Jones

SET 1/4 SECTION CORNER POST M+L 39.97 2638.02

deposited stone 4"x4"x2"

over

June, 1857 John Fraser Pg. 44 No. 66 Show 1/4 Post
(See Survey for Interior breakdown of Sec 23).
11/26/91 County Surveyor dug to cover N-S 1/4 line in
sec 14; 23 also T. Hunter measure E & W this pot
us 3½' west of the N-S fence and in a field
drive lane the spot was low and worn out, also
many small stones in bottom of hole. probed
around hole fd nothing, dug from 1' west of tree
nail to 6' west and 2' No & So of Tree nail.
1/16th North of 1/4 14, 23 11/26/91 dug to cover W. Fraser
Stone location this spot is 8½' west of a N-S
fence along the west edge of a small woods. It
appears that the stone would have been plowed
out. 5/14/92 Set CIC/P² @ T.H. promted position and on
line between sec corners, nailed sign on PP ENE, corner
falls in lane 3' W of N-S fence & line of TPs E & W
RP. CSD W Tran pole ENE 5.53'

1/4 CORNER 14-23 DONER 100-11 (2)
#611404

3-1900 Thomas Fraser Dept-1 Co Surveyor (pg 55 No 589½) SE 1/4 14 found boulder stone under the two quarry stones by side of two posts on NW side, measured east 20 links short 1/4 E fd limestone as set in former survey down about 1 foot to found.

2-8-93 MnDOT FOUND CIC/pf & TOOK RPs
CND North Side Wood Fence Post W 30.00'
CND West Side Wood Fence Post NNE 22.43'
CND S Side PP ENE 5.48'