7-22-71 Set 10" Section of C.I.M. on bedrock (1)
#611605

section corner 16-17-20-21 Dover 106-11.

9-1892 Thos Fraser P497 No 469 S 16-20 for.
H Crittenden, J Dickey, H & S. Dryedale.

corner gone Meas from NW cor 16 to 1/4 20-21 over 9 lks.
or 40.03. — Meas S 1/4 17 to S 1/4 16 short 8 lks or 39.96

set limestone as corner. (marked "d" cor 1948)
— 1/16 east set limestone & stake M & L 19.98.
— 1/16 west set boulder stone M & L 19.98.
40.03
— meas north and south

over)

Hunters R R ties.

13.40 chs or 13.14 chs from corner north to R tracks

7-22-75 Set 10" section of C.I.M. on bedrock by doubling line and measure from 1/4 Cor 16-21 over 1/16 W

Get Tree from Ed

GOV NOTES - 1853 - J BALL
SET SECTION CORNER post 80 LKS NORTH OF 20-21-28-29
STREAM 20 LKS WIDE NORTH 6 CHS 396' ±

6-28-95 ROGER BRAND + ASSOCIATES FOUND CIM AND TOOK TIES. THE CORNER FALLS ±3' SOUTH OF FENCE LINE WEST AND ±4' EAST OF FENCE LINE NORTH.

CONT. →

SECTION CORNER 16-17-20-21 COVER 106-11 #611605 (2)

6-28 95 CONT. RP'S

NAIL ON S SIDE 15" OAK WNW 4.00

NAIL ON E SIDE 12" OAK N 2.95