1 9-10-13 set CM over iron and stone pieces. (1)

¾ corner west ¼ 19 Dover 106-11 cert. 3-75
east ¼ 24 Eyota 106-12 #611906

7-1874 Hanter P257 no 257 S19 S E W are.
found mound in center road with stone in it in line of fence running east also bark & stake remains 1' down
drone new stake not marked & set stone beside it.
- pace south to W19-30 E 24-25 40.02½ 2641.65.
-1/16 north set corner M & L 19.97¾ 1318.52.
- set center Terr road 16.56 1093' north of above 1/16 corner
which lies 3.41¾ south of N W cor 19 225.55.
- set stake 15.88½ 1048.4 east of above 1/16 cor - ac corner 25 acre
thus stake lies 14.93 south of center terr. road
985.4

(OVER

9-10-93 found 2 small limestone with definate stake hole. under well below black road surface.
- set 3/4" x 8" reinf. rod on bed rock below C/M. with small stones arround rod
197.05 NW to NE corner of Blocke of house foundation (newly laid)
116.25 NNE to Conc nail W side PP # 1700
this corner would move .53 west to be on direct line final meas south to C/M set in place of stone 2639.75 R2641.65
" North " 2636.4 R2637.03
Meas Mile 5276.65 R 5278.68

GOS T notes: Sept. 1853 - Set Post drove charred stake, built mound with trench
9-7-78 - Road Stakes New RP 1 Bar 1 N.E Pine W.S W. 86.41

W 1/4 COR 19 DOVER 106-11 #6.906 (2)
E. ¼ cor. 24 Eyota 106-12

Gov. Notes 1853 Oct. Ball, Dep. Sur.
North between 19 and 24.
40.00 Set post and drove charred stake.