1 8-23-73 set C/M over ½" x 20" pipe in place of orig gov't stake found. #620506 (1)

¼ corner 5-6 Eyota 106-12.

Corr 3-10-75

5-1871 Hunter P184 No 195 S6 H & J. Elliot.

found stake in center road, even with surface.

1/16 notch at stake at 19.95½ then 20.05½ to sec cor.

this ½ mile 11 lks short gov't meas. 1317.03 1323.63

1/16 west set stake M & L 20.05 1323.3

N 1° W.

S 89¼ W

8-23-73 dug with back-hoe from center road west in line fence east. road & building site 600'± north shows road may have been moved east. land and road level and normal grade

ors

found 10" ϕ very old stake with only bark on one side of stake left, took pictures, set ½ x 20" pipe with 2 pepsi bottles unbroken on N & S side pipe. and C/M over pipe down. 4"

25.95 NWly to Conc nail NE side PP 15966.

35.55 1'2 ϕ E to Conc nail S side corner post. made from old utility pole (many spike holes

215.0 NNNW to SE corner large Quonset shed.

---

set by William Jones 9-1853
So. 20'2 on true line between 5 & 6
40.12 set post at qr. sec. corner deposited charcoal made mound of earth & sod, trench & pits & planted cherry seeds NE & SW

#620506 (2)

1/4 Corner 5-6 Eyota 106-12

7-31-81 1/16 North: Dug from a point on line from N 5-6 to 1/4 Cor 5-6 and in line with fences East and West (which came in W'ly wheel track) West for 2'+ and East to 1' East & where we found the remains of and old stake 3' deep driven well down into clay and very tappered. Drove 5/8" rod in stake hole. LRP { 7.25N 6.23E

7-31-81 1/4 Cor 5-6: Dug on line N 5-6 over stake found at the 1/16 South. Immediately struck stone 

by 2" thick down 1' and wood piece all around. Found stake hole .4 East of the center of the stone. Dug stone down and set iron

on North and South sides. Set a CIM centered over stake mark. Corner 3' East & and 2' North of fence E and West. stone 7.6W to CIM, 8.25 S to spike; stake 4E

RP's cone nail in N. side pp# 15966 WNW 32.65
pop cap in S. side fence post East 27.81
Left old CIM in place for the time since it is a control point in this survey.

1/16 West 8-4-81: Dug and found remainning 5" of Hunter's stake 18" deep and 5½' North of the E-W fence. Put short bolt and spike and remainning wood piece down 2' at stake location. Corner —— N E-W fence.

7-8-1982, ¼ Cor 5-6: Dug out CIM set 8-23-1973, but left pipe below in place to hold location of stake found.