/ ~~½ rod E channel iron set in 1970 at location of old post~~

6-12-87 set c2c/pc at loc. stake fd 8-6-81 ①
#6206606

1/4 corner west 1/4 6 Eyata 106-12

east 1/4 1 Marion 106-13.

R J Perry Co. Surveyor

5-18 71 Hunter P 184 No 195 & 196 Fd. Elliot
Dep. Survey

found stake in orig mound plain.

1/10 north set stake M & L 19.95 (1316.7) N 25' W
stakes M & L on other lines north were prop meas but not on west line couldnt figure out why.

1/16 east set stake on line E 1/4 6 and prop meas.
18.23 chen 19.94 To center sec 6.

11-4-70 Co surv. Meas from township corner south set small nail at 1316.7 which came just south (30') of big wash draw in pasture. quite deep soil but could not find stake

(over)

Cont to E-W fence at 1/4 line at 2634.7 at corner posts.
2 new posts one for new fence west, one for new fence north.
- dug over 2' in all directions from both corner posts found. an ancient corner post with just shell remaining set w channel steel post in center old post with 1" x 2' rod in channel. 2' to clay
- Meas from C/M set 1964 at SE corner section 1 to post
~~2651.3~~ - from Surp corner 2636.0 record 2633.4 (1871)
- with SE1 moved 6.7' North to stone found meas is 2644.6
- middle of road at SE 1 would make it 2640 even. Farmers in area declare E road never changed. ~~SE 1 still in bench~~
- believe old post exact spot of orig stake in orig mound

Gov. Notes 1853 Oct. Ball, Dep. Sur.
North between 1 and 6.
40.00 Set post and drove charred stake.

Nov 1970 Co. Surv. From field book, Cor lies 3' East of Cor fe. post from west and 2' East of main Fence line going north. Cor. lies about 1' So. of E-W. fence lines

¼ Corner West ¼ 6 Eyota 106-12
East ¼ 1 Marion 106-13 #6206006

7-10-81 West ¼ Cor 6: Found 1" iron set by Roger in 1970 1' South of E-W fence and 2' East of the main line of the fence North.

7-30-81 1/16 North: Dug from a point at Hunter's measure from NW 6 and under ~~fence~~ N-5 fence 4½' East, 3' South, 1½' West, and 2' West by 3' to clay. Found nothing.

8-6-81; W ¼ Cor 6: Dug from ½' East of the t.n. near W. ¼ Cor 6, West for 7', North 2½', South 2½' by 2' deep to clay. Found the remaining 12" of an old stake (top down 16") 1.25 West and .5 North of the traverse nail. Removed stake to office and set a flat iron to hold location LRP's 1.0 NE 1.3 East

6-15-82, 1/16 North: Dug some more off the West side of the hole dug last year. We have now dug up to 4'+ West of the N-S fence. Found nothing further.

6/12/87 W1/4 COR 6, EY 07N
E1/4 COR 1, MARION
REMOVED FLAT IRON SET @ STAKE LOCATION FD 8/6/81 SET C1C/P2. REMOVED 1" SHAFT SET BY ROGER BRANDIN (1970) CORNER 8.3 W OF C.P. TO FENCE E-W-N AND .7 So. OF FENCE WEST BUT CORNER IN LINE FENCE RUNNING WEST & IN LINE FENCE FAR NORTH
CSD IN S. SIDE C.P. E 8.35