1 7-5-1968 ~~set C H Mound~~ one stone & 17" rod
5-8-1970 Cross in Cone. Pav'g - 2.52' E of ℄
section corner 14-15-22-23 Eyota 106-12 (1)
7-1871 Hunter P186 No 197 ℄ 23 N Madison, J Price
#621405
found remains stake in center road. B trees gone
1/16 east set stake M & L 19.94 to stake for line N & S N1°W
1/16 south set stake M & L 19.94 for line east ℄ ½°E

8-1867 Hunter P421 No 410 ℄ 23 James Price.
found stake P186 with stone by side Center road.
- meas south 39.92

4-1890 Thos Fraser P440 No 421 ℄ 22-15 James Price etal.
found 3 small stones also large stake 2' or so NW also small stake just north of 3 stones on acct of Mr Price & Mrs Fallen who were present P421 accepted stones as corner and placed. 2x8x16 stone. no meas or 1/16 corners.

10-1917 J Kerr S14 Welsh & Walls B-10 P 24.
found center 14. and 1/4 corner 2625.75 To west
ran south to stone section corner. 14-15-22-23
ran east to 1/4 14-23-2635.7.
iron stake on line 1317.85

7-5-1968 J Kerr to restore corner.
run line from S 1/4 14 west- found 1/16 iron at 1316.6.
found limestone with small limestones and 2 stakes at 1317.4.
-1/16 rod is .43' north of direct line .4' east of midway.
-1/16 cor RP 37.0' to center 36" burr oak SSE.
11.0' south to corner post- 26' north to corner post.
-placed 1/2" X17" rod over stone glass bricks. then CIM.

#621405 (2)

RP to section corner 14-15-22-23
Eyola.

2639.63 north to 1/4 corner 14-15

County dicc in tele pole	NE	56.88.
" " " " "	NW.	80.62.
" " " P pole 38916	SW.	63.35 63.65
clamp lug top Xend culv east	ENE	36.97.
" " " L " " "	ESE.	40.~~87~~ 40.57
" " " N " " west	WNW.	57.35
" " " L " " "	WSW	61.52

corner lies. 3.0' east & new county road N-S
" " 6.2' north & township road west

5-8-1970 Co surv (R.&P) found all lugs on culverts set as
ltrs 7-1968 - PP 38916 now has disc on SE side 63.65
- lug on end culv ESE. 40.57 not 40.47
all other ties gone - drove pipe cap in wood tele stub NE 60.0
61.83 NE to grading hub. - cut cross in pavement.
- cross bar - 2.52' east of ℄ - .4' south of expansion joint
9.53 west of east edge new conc pave.



---

set by William Jones 9-1853
80.00 set post at sec corner 14, 15, 22 & 23
Br Oak 6 S 78 W 381
Red " 6 S 16 E 270
Red " 5 S 82½ E 252
& made trench

7-1917 J. Kerr Book -10 P. 24-26 used something as Sec. Cor.
B.T. N 29° 40' W 66.5' 12" J.O. Tree

#621405 (3)

Section Corner 14-15-22-23 Eyota 106-12

Nov. 1856 Thos. Hunter Pg. 18 No. 29 Show Sec. Cor.

1/16 West 19.85 1/2 M&L - B.T.'s (S53°E 130 lks.) & (S72°W 56 1/2 lks)

5-16-97 Found Cross Cut In Concrete CR #7 2 1/2' E ℄

5-23-97 Set Ref Pipe 1" Sr Pipe/Cap on North Edge 30th St SE.
13 1/2' N ℄ 30th St SE, 67 1/2' W ℄ CR #7.

✓ (621405)

6-28-99

47

Sec Cor 14-15-22-23 106-12 Eyota
found + Cut in Concrete CR#7
2½' east of ℄

TIE Ref pipe to Sec Cor 14-15-22-23
XRt P.K. in PP#15853 (1st pole north
of Corner on west side CR#7
to Sec Cor 14-15-22-23

94° 15' 16" dh01 | 96° 41' 14" dh02
0° 32' 50" dh03 | 2° 58' 48" dh03
93° 42' 26" | 93° 42' 26" | x = 93° 42' 26"

XRt P.K in PP#15842 (2nd pole west
of Corner on South side 30th St SE
to Sec Cor 14-15-22-23

195° 17' 37" dh03 | 197° 41' 32" dh03
1° 05' 12" dh02 | 3° 29' 02" dh00
194° 12' 25" | 194° 12' 30" | y = 194° 12' 27.5"

To Sec Cor 14-15-22-23 (4)
VA 88° 57' 14" dV05
Slope 70.36 | Hor 70.35'