7-24-1963 ~~set C I M~~ over 1/2" rod in carved in steel cuv.
1970 Chis + " in conc. pavt
1/4 corner 14-15 Eyota 106-12 #621406 (1)
7-1871 Hunter P186 No 197 L234 L W 414. M Madson, J Price.
Corner gone. placed corner on N-S section line where line
from E 1/4 14 over center 14 intersected — 1/16 east 19.88 = 1312.08 M & L
8-1891. Zhoo Fraser P453 No 437. L 15 Dr Slingsel - Alden
found stake after duplicating Hunters work exactly
set 2 stones 10 x 16 x 21 and 4 x 10 x 10.
— set stake with small stone each side south on section line
10.50 chains for line west.
— 1/16 west set stone M & L. 20.05. over.

7-1963 J Kerr. Eyota village survey.
corner gone, buried metal field culvert at location projected line from center 14 over 1/16 corner and set C I M over 1/2" rod. Had to smash old buried metal culvert in order to set monument. a mess.

~~6-14-1968~~
~~Lp tile pole~~ ENE ~~109.3~~ gone
~~bronze cap~~ " " new-log ℄ E ~~66.6~~ 153.5
~~Dup~~ " " new guy pole ℄ W ~~54.59~~ 128.0

lines center road east and south. exactly
~~tall check bike fence north~~ new Co road north
grading ties C&T D B301 Hub N W ~~68.72~~ 70.23, Hub W ~~63.45~~ 60.89
Hub ℄ W ~~71.61~~ 69.13 - bronze cap north end street light power pole ESE 97.5
Cut cross in pavement - corner near ℄ pavement - near ℄ roadway - corner pipe needed.

#621406 (2)

¼ Corner 14-15 Eyota 106-12

40.00 set post at qr sec. Corner deposited charred stake. made mound trench & pits, planted cherry seeds SW & NE.

9-1917 J. Kerr Book-10 p. 24-26

found stone at 2625.75 West of Stone at Cen. 14

Meas'd So. 2640' To apparent Sec. Cor.

5-16-97 FOUND CROSS CUT IN CONCRETE 0.1' E ℄ CR #7.

5-28-97 SET 1" SR PIPE/CAP AS REF. IN FIELD DR W.

7' N ℄ FIELD DR. 49' W ℄ CR #7.

(621406) ✓ 6-29-99
MWRFA&E

46 1/4 Cor 14-15 106-12 Eyota
Found Chiseled + in Concrete
CR# 7 0.1' East of ℄ Crack
↑ @ Ref Pipe Set (5-1997)
Azt Ref pipe to Sec Cor 10-11-14-15
to 1/4 Cor 14-15

21° 52' 18" dh05	23° 16' 46" dh04
0° 01' 46" dh04	1° 26' 17" dh05
21° 50' 32	21° 50' 29

To Ref pipe to Sec. Cor 10-11-14-15
VA 90° 16' 05" dv06
Slope 2642.76 Hor 2642.735

To 1/4 Cor 14-15 (+)
VA 89° 49' 56" dv07
slope 130.845 Hor 130.845

Azt → E (main line of E in Eyota
on Water Tower N.E. to
1/4 Cor 14-15

318° 22' 30"	320° 36' 38"
0° 02' 04"	2° 16' 14"
318° 20' 26"	318° 20' 24