1 · 8-11-69 set CIM over 5/8 x 14" rod with burr, orig stone. Wet & do
#621609
1/4 corner Center 16 Eyota 106-12 (1)

8-1898 W Fraser P640 no 576 S16 Oscar Bear.
set marked stake and stone 2x6x22 at true enters lines.
-1/16 west set stake and stone 2x6x18 M&L 20.06 1/4 (1324.1) N89°40'W
-1/16 south set stone 2x6x18 M&L 19.95 1/2 N10'E 1317.03
-1/16 center SW 1/4 16 set stone 2x8x20 M&L 19.93 on 1315.38
N-S 1/16 line N5'W.

8-7-1968 J Kerr Joe and Pat. Meas from S 1/4 16 center of road on 70° @ west line, meas on random just west of brush 15'+ - accepting corner post at center 16 as true E-W and fence S. as same line at 1/16 corner (stone 2x6x18 R 1317.) 1/16 stone would come 2' west of huge burr oak in N-S fence line. Wrong

- over -

2640 came 2' north of E-W fence at center 16.
dug & probed extensively at 1/16 corner area, stony area.
found nothing answering record description.
- on E-W 1/4 line, mead from wires of fence south, west,
set O just west of 1/16 fence in line main fence south.
at 1320. then mead just north fence west to center road
N-S at W 1/4 16 2640 came in Q road R 1324.1 M&L
- found 1/16 stone 8' south of E-W fence and some 3 to 4' west of fence
south at that point not so much west of main line of fence south.
- offset 50' south at 1/16 stone and corner post at center 16, posted
line east, ended up on offset of 120' north, no shots closer than 600'
ended up 11.8' north of C/M at E 1/4 16, indicating center must be
4'± south of corner post. and of 1324.1 is correct at least 2'
east of fence running south. Probed in hard sandy soil quite
extensively in area center 16 but could easily miss corner. Must
dig 4'x4' south & east of corner post. Corner pertanent to setting
west 1/4 16 and helping find or set S 1/4 16.

#621609 (2)

Card # 2 1/4 corner Center 16 Eyota 106-12
8-11-69 J Kerr found stone easily on digging
east & south of corner post stone 2 x 6 x 22 as of
record verify vertical about 8" deep to top.
Corner 3.6 east of wires of fence south dead as .00
" 2.7 south center bty cor post holding wires of F S.
- 20 D in hub on N side 14" brook (bankkayed - E NE 10.5
- 20 D " " " S " 20" " in fence W. - WNW 18.0
1970 tie 20 D in top corner post center 4.9' SE to C/M
Meas line accurately west 1323.12 to 1/16 stone
south 1316.75 to 1/16 stone.

over 16 - Southwest

-16 west found stone of record size 8' south main E-W fence slightly west main line fence south - several feet W of corner.
- Nail in hub. E side 16" red oak. 2' W & N 8.3'
- Center blazed 10" broak SW 35.5
- set ¾" pipe battered top as corner.
-16 south found stone exact record size under fence 3.5' south center large (20") broak & 8.5' south woods fence running east. corner cairn 2.65' south station 13 20 from E Dood & set 1968. and 72' east of random 70' E which was center 16 when found 73.6'
1970 mean north 1316.75 to center - set 5/8 16 double line