X 8-18-81 CTCP² #621806 (1)

1/4 corner. W 1/4 18 Eyota 106-12 E 1/4 13 Marion 106-13.
1-1882 Hunter P 372 no 363 d 18 106-13 David Proud.
found remains of old stake from 2 B trees standing.
drove new stake well down.
16-west set stake M & L 20.03 (1322.0'
RP 1/16. 6" D. Oak d 16 1/2° E 26 1/2 lks. (17.47'

6-1893 H Fraser P 512 no 480 d 18 J Willson, J Campbell
found stake P 372, tested B tree, set stone 2 x 10 x 18"
-east, set stakes at 1/64 9.33 (615.78, at 1/16 18.66 (1231.56'
chen 19.98 (1318.68 to center stone set inters line
total 2550.24
-meas from 1/64 corner east, south to 1/64 east of SW 18 2626.8
Cover

10-1930 J Kerr B 4 page 10 thru 17 A Sec 18
found stone 2" wide, pointed at top with old stake by stone
set new stakes on N & S sides of stone.
- ran line from SW 18 to W 1/4 6, meas from SW 18 to center
RR tracks south of W 6-7.
- found stone at W 1/4 18 at 2620.5' R N-S 1/64 line E 26268
- meas W 1/4 18 north to ℄ tracks 6357.2 (Must be 6257.2)
- assuming Hunters meas of 1632' from ℄ tracks to W 6-7 to be correct making total of 7889.38 or 2629.8
- set NW 18 at 2629.8 and 1/16 corner between at 1314.9 for property line east. - did not set or find any corners north of NW cor 18.

RP W 1/4 18. -	Dbl B tree	L	71°30' W	43.0
-6" turn	burr oak	S	73° W	22.0
10" scrub	" "	S	19° W	8.0
6"	" "	N	70° E	7.8

#621806 (2)

Card #2 W 1/4 18 Eyota 106-12
E 1/4 13 Marion 106-13

Cont 10-1930 JKerr B4 Pages 10 thru 17A Sec 18.
- after running N line and setting N 1/4 18. (stone E 2628.2 N 2526.8
and running & meas N-S 1/4 line with corrected hub as
near center 18., then ran & meas hub to W 1/4 corner
2545.9' - cont line only to E 1/4 18 to correct center 18
- set prop corner at 612.9' R 615.78 east of W 1/4 18
- no description of corner set as 1/64th corner.
- this would make line east 612.9 - 612.9 1/16 (1320.1)

1- 1913. McGhie and Betts found stone took meas to witness trees. meas in from SW cor 18.

Gov. Notes 1853 Oct. Ball, Dep. Sur.
North between 13and 18.
33.97 B r. Oak 14 in.
36.23 Brook 10 lks. wide runs N.W.
40.00 Set quarter post.
Br. Oak 10 in. S78W 66 lks. Br. Oak 14 in,
S82E 49 lks.

8-18-81 W.¼ Cor 18: Set 5' long telespar with CIC in place of stone found. (78) ½" rod driven by Stone) Set stone along side telespar. Found stakes by Kerr when we dug out stone. Put post and sign on South side
RP's: J.K. Nail in 12" Black Oak N'ly 14.65
Mc & B spike in Twin Cherry S'ly 28.33
Mc & B spike in 10" Red Oak E'ly 32.45
Corner is in line with fence East & 6' West of fence North