X 11-20-974 Set a 10" C.I.M. over 5/8" x 8" rod

~~8-5-69 set CIM top only in short pipe and Acid (hard hard)~~

section corner west 19-30 Eyota 106-12 #621905 (1)

east 24-25 Marion 106-13.

6-1877 Hunter P318 No 312 L 25 James Campion.

found old stake remains from B tree set stone 2x8x15 NE B tree standing, stump of SE Bore marked plainly. set small stones on south & west sides of stone. at bottom of stone.

- Meas south 39.97. - Meas west 39.96. To stones.

3-1878 Hunter P 332 No 326 L 30 Wasson, John Campion.

found stone P 318.

- 1/16 east set stone 3x4x18 after meas line carefully - 1 link short goal meas. - set stone at 9.37½ then 1/16 stone at 9.37½ then (618.6) 19.99½ to ¼ corner 6 burr oak stake set in place old stake).

1/16 south set corner at 19.97 M & L. N ½° W.

also corner east above 9.39½ M & L. (620.1). (over)

7-1883 Hunter P384 No 375 d 19 John Hughes.
found stone P318.
– meas east 38.74.
– 1/16 west found stone set M & L. total 39.96 meas line again and proved correct.
– 1/64 west set stake 9.98 M & L. also stake 3 chains east of this 1/64 corner.
Total mile east 38.74 (2556.8) and 39.92 (2634.7) – 5191.5

6-1913 D Williams P222B d 19. Tyota town board.
found stone and 1 B tree – could see 1 mile east direct.
– found stone east 620' Hunter P332.

7-1965 J Kerr found 1/16 stone west used by county 1317.4 from N 4.25 – meas east set 120 D at double. Came in deep road cut Red Clark on fence south. Rough meas no line, brush etc

extra card for west 19-30 Eyota 106-12 ②
east 24-25 Marion 106-13
#621905

6-1968. J Kerr for Marion & Eyota Town boards. B98 P31

Run line from 1/4 24-25 over 1/16 stone east on 45' ⑤ south 13 17.4. and establish temp corner.
dug extensively but concluded corner gone
Set Transit RP to corner.
120 D on 45' ⑤ south in place. Pulled iron 1974 when we moved corner 10.77 west
on 90° angle set 1/2" rod 30' south making 75' to true corner
Continued to 150' set hub dap with nail in top flush with surface. rock to close for rod.
RP to iron 75' south of corner Center 12" burr oak SE 55.6.
RP to hub 150' " " " "same " " NE 42.4.
~~Center 16" " " E 47.9~~ Gone

9-24-68 J Kerr. set 5/8 x 14" pointed Rebar as corner until roads dry enough to travel road to place mon. besides grade ties. set

20D in Hut east side 15" Oak N NW ~~59.~~ 59.65

20D " " S " " 14" " NE ~~41.8~~ 80.32

1974

this tree has scraggly top - mess on ground slope.

8-5-69 J Kerr tried to set C/M. Chopped out some rock exposing 40.5 inches of above rod, solid as the rock itself. Gave up and put C/M screw top with 4" short square pipe on rebar rod. both RPs in place - not too much needle drp to C/M top. -16 west found before grading - bulcap SE Side PP NE 96.85

#621905 (3)

West Sec Cor 19-30 106-12 Eyota
East Sec. Cor 24-25 106-13 Marion

November 1974.

McElvie + Betts Inc had a survey in section 30 Eyota + upon meas. East from this corner to the 1/16 cor they were ± 10' short of record We dug at the 1/16 cor West + found the C.H.D stone + Iron but this Meas'd 1326 from 1/4 cor 24-25 Record = 1318.68. Dug west + found the correct 1/16 corner. Doubled the distance + line East to the section cor. + it fell 10.77' west + 1' ± South of J. Kerr's corner. We also then used this New point + ran the

line East using the N 1/4 cor 19-30 + our line fell on J. Kerr's rod at the 1/16 cor. instead of the corner being 0.5' South of the line (Think Kerr meant S. of total sec. line
R.P. to 1/16 cor. west of 19-30 E40.14.
Disc S.E. side P.P. # 15504 N.E. 53.65
corner falls 6' West of road going South.

11-20-1974
Set a 11" C.I.M. over a 5/8" x 8" rod as the correct section corner.

R.P's to mine.
20d in hub on E side 15" OAK N.N.W. 59.65'
20d in hub on S.E side 14" OAK N.E. 80.32'
Corner falls 1' South of ℄ of E-W road.
We also pulled the rod to the South set by J. Kerr.

#621905 1/

West Sec. Cor. 19-30 106-12 Eyota
East Sec. Cor. 24-25 106-13 Marion

Gov. Notes 1853 Oct. Ball, Dep. Sur.
North between 25 and 30.
80.00 Set corner post.
Br. Oak 10 in. S20W 174 lks. Br. Oak 8 in. N85W 147 lks.
Br. Oak 6 in. S53E 156 lks. Br. Oak 12 in. N6E 94 lks.