#621909 ①

/ 8-20-69 set C/M mnes 3/4 x 16" iron in place orig wood stake.

1/4 corner Center 19 Eyota 106-12.

6-1883 Hunter P 384 No 375 L19 John Hughes.
set stone with marked stake on north side of stone at true inters lines.

Bearing east-west 1/4 line N 89° 20' W

Bearing north-south 1/4 line N 5' W

8-19-69 Steer dug extensively in hard dry soil in area aered by 3 generations owner of land Mr. Jones. Wm 50 yrold son and father Albert birth born on land. found wood stake 2 feet to top below wind blown soils verified in clean soil 10 inches long. set ele fence post to hold point found 2 limestones - corner in exact line willowe north as aerial - less than 1 foot S fence. (orig

forth lying flat at about 12" deep. fence staples found much below this area - Meas east to 1/16 fence north, the SE corner of Jones 40 acres the SW 1/4 of NE 1/4 of Sec 19. 1318.5 from rod. - Meas west from fence south as.00 2553' which is 2.6' west of rod or stake found. Cont meas west to NW cor Jones land a true 1/4 corner 9.98 (658.3) found at 671.5 or 13.2 over. found stone on steep wash slope size of record stone, of true corner meas to stake found at Center 2569.6 indicating by kink in west line section 19. - corner reset from B true no pt of line. - 8-20-69 set C/M over 3/4" x 10" reinf rod where stake found. Corner .5' south woven wire fence. - 2.6' east fence south. line of willows north. - Meas to stone found and accepted as corner W 1/4 19. 2569.6 - small steel U fence post just north of C/M.

#621909 (I)

Center 19 , Eyota , 106-12

7-9-82, Center 19: Found CIM flush with ground 8' East of fence North and just on the North side of gate. Fence South gone.