X 6-8-73 found drill hole in stone, pulled Co rec. Pete Park corner
6-10-74 SET C.I.M. OVER SHORT P.Pe over STONE #622205
section corner 21-22-27-28 Eyota 106 12.
1

7-1892 H Fraser P493 No 467 L21 N Dugan, Ferry Bros.
corner gone. used unmarked tree anered as B tree to locate
corner. also meas & line from L E 22. which proved B tree
placed boulder stone as corner
1/16 north set boulder stone 19.99½ M & L. -1319.67
- meas west to ¼ cor boulder set M & L. 39.87. -2631.42.
B tree - L 59½ W 181 lks

5-1896 Hunter P599 No 544 L22 H. Haggerty, W Busian
Cut away growth on L W B tree. reset large boulder 3' in dia
with drill hole in top as corner. BT L 59½ W 181 lks.
- meas north 39.99. N ½° W.
2639.34

5-1896 Hunter P600 No 545 & 28 Ym Busian.
found large boulder with drill hole as corner. P599.
Meas west 39.85½ to stone set M&L 2630.43
Meas south 39.93½ to stone set M&L N ½° W 2635.71

5-1902 W Fraser P14B & 26-27 5 parties see N ¼ 26.
found stone and B tree P 599.
Meas east 39.96 to stone 2637.36

4-1939 J Kerr P488B & 28-29-32-33 Town Board.
found large boulder and B tree & 54° W 120.5 also.
Con fence post NW 35.7' – fence post SE 46.4' – fence post NE 36.65
Meas south 2635.26.

11-1961 Minn Hwy Dept Du Val. Rise For NE 69.0
found boulder center to road. iron riser " " NW 63.0
post leaning these about 1' between " " SE 58.0
OK. iron in oak SW 117.5

traveled 4-28-71

B.T. 34.11 in place - S.W. - on Jan. 1978

#622205 (2)

Card # 2. 21-22-27-28 Egota 106-12

6-8-73. dug massive hole in black top road. with back hoe. found county iron hub and nail. - found recorded huge boulder with drill hole in top as placed by Hunter 5-1896 P 599. set rod as temp Cor.

60.7 SE to old disc in NE side corner post, level mean.

61.2 1978 gone NW to old disc in corner post

58.53 50.5 NW to long conc nail in knot SW side PP # 15684.

35.48 good NW to a reinf wire in W end road culv. Center lip.

54.84 good NE to punch mark in center lip tele cable box

38.55 38.48 SW to mark top center Conc culv W end.

119.13 good WSW to iron rod top driven into S side org Blue Center tree J Kerr 120.5 Iron CoHD 117.5 Round 119.46

hole in boulder corner. 3.1 north and .3 east of iron rod long used by County and state and private surveyors.

---

set by William Jones 9-1853

80.00 Set post at corner to sect. 21, 22, 27 & 28

Br. Oak 4 N21E 126

" " 8 S 13E 313

" " 4 S 59½W 181

" " 8 N 1½W 145

May, 1856 Thos. Hunter Pg. 6 No. 10 Shows Sec. Corner.

1/16 south 19.91 chs. M&L - 2 B.T.'s (S 51½°W 329 links) & (S 57¾°E 441 lks.)

April, 1863 P.C. Compton Pg. 69 No. 97 Shows Sec. Cor.

(See Survey for Interior of Sec. 28.

SECTION CORNER 21-22-27-28 EYOTA 106-12 (3)

#622205

6-19-95 — FOUND CIM. SET 1" SQ PIPE W/CAP IN SW COR CROSS ROADS INT. 58' SOUTH OF ℄ CR #23 + 43½' WEST OF DEAD END ROAD SOUTH.

T@ REF PIPE

4RT P.K. IN P.P. #15685 (2ND POLE N ON W SIDE TWP RD N) TO SEC COR 36° 10' 46.5"

TO SEC COR 21-22-27-28 (CIM)

VA 89° 21' 36" dv 13

SLOPE 75.20 HOR 75.195

9-18-95 CHD SET 1" SQ PIPE W/CAP