X 11-19-1967 C/M set by Co Hwy Dept. from rod #622305 (1)
9-25-1979 cap on 1"sq x 2' Brass
section corner 22-23-26-27 E yoke T06-12
4-1890 Chas Fraser P440 No 426 S22 J Price
found very old stake with newer stake riser. after running
line from sec cor north over 1/4 corner. and checking NE & SE
B trees. distances checked to stakes but courses varied some.
set stone 11 x 20 x 20 at site of old stakes.
rows of poplar trees 2 rods south & west.
-1/16 west set stone 8 x 10 x 16 M & L 19.95
see modern RPS to 1/16 corner see 1/4 22-27

5-1902 H Fraser P14B S26-27-34-35 5 parties
found boulder stone and NE & SE B trees P440 see N 1/4 26
1/10 south set stone 3 x 8 x 18 M & L 19.92 1/2.
-1/16 west found stone as corner. M & L 19.95 1/2 (over)

- mear east 39.74 to N'ly 26 stone found & road.

1946 J Kerr B 30 P 79. ½" rod

Dirc tele pole SE 99.0 - Dirc tele pole NE 50.3

MHD 1959 Appx
Co Hwy ~~Dept~~ ½" rod.

MHD dirc tele pole SE 101.59 - MHD Dirc tele pole NE 48.7.
" tele pole SW 114.8 - " tele pole NW 103.32.

Co Hwy Dept B 301 RPs same as 1946 J Kerr Dec

11-1967 Co Hwy Dept set C/M from rod in road project.
Dirc tele pole SW 74.5
"SRP " ~~SE 108.9~~ gone 4-28-71 nothing at corner, sad mess
"SRP " NE 62.52
Leo Rucker NNW 89.9 ±

#622305 (2)

Section Corner 22-23-26-27 Eyota 106-12
set by William Jones 9-1853
80.00 Set post at corner to sect. 22, 23, 26 & 27
Red Oak 5 N 79 W 192
Bur " 4 N 41 E 74
Red " 5 S 20 W 65
Red " 6 S 16 E 138

9-25-1979 Set a 1" sq x 2' pipe at the corner at double the line and measure of the 1/16th West found in 1978. The corner came 1.17 North and .38 West of the traverse point set up from old RP's in 1978 (these RP's when NE and

SW and very poor for intersection. The corner is 1' North ℄ road West and .4 West of center N-S road and 4½' So. ℄ rd. East.

RP's: Old Disc in N side telephone pole SW 74.59

Old Disc in S. side telephone pole NE 62.12

Geod. Marker "Bear" NW 88.71

5-16-97 FOUND 1" SA PIPE/CAP IN CONCRETE CR #7 0.4' W ℄

5-23-97 SET 1" SA PIPE/CAP AS REF ON N EDGE 40TH ST SE.

10' N ℄ 40TH ST SE. 83' E ℄ CR #7

(622305) T= 81 6-25-99
48 P= 28.8 MW, RF, AE

Sec Cor 22-23-26-27 106-12 Eyota
Found 1" Sq. Pipe W/cap 0.4' west of ℄ CR#

NO Ref Pipe Set (5-1997)
ART Sh. (BEAR) to Sec Cor 22-23-26-27
76° 45' 55" dh 03 78° 20' 42" dh 00
0° 02' 18" dh 02 1° 37' 09" dh 03
76° 43' 37" 76° 43' 33"

To BEAR (Brass Disk in Conc. Cyl.)
VA 89° 49' 12" dv 06
slope 1662.380 Hor 1662.57
To Sec Cor 22-23-26-27
VA 90° 00' 00" dv 07
Slope 84.16 Hor 84.16

XRT PK in PP# 38717 (pole in SE Cor Int
CR#7 & 46th St SE) to Sec Cor 22-23-26-27
49° 27' 28" 50° 41' 50"
0° 45' 58" 2° 00' 10"
48° 41' 30" 48° 41' 40"