/ 9-7-93 set ½" Iron over limestone found. #622309 (1)

¼ Corner Center 23 Eyota 106-12.

7-1891 Hunter P186 No 197 S 23 M. Madsen, J. Price

set stake at intersc. lines

-16 west set Corner N & L 19.91. (1314.06' S 89 ¾° W

-16 North set stake N & L 19.93 -(1315.38' N 0°50' W

-16 Center NW ¼ 23 set stake inters lines.

- Meas south 39.81 — 2627.46'

---

8-1887 Hunter P421 No 410 S 23 James Price.

No mention of corner - used extensively.

-16 East set stone N & L 19.95 — 1316.7

- Meas south 39.81 — 2627.46'.

- " North 39.86 — 2630.76'.

" West 39.82 — 2628.12'

7-14-71 Co surv- set 40 D in line short farm lot fence west and on line C1M at 1/4 14-23 and 40 D at 1/4 23-26. in center roade E-W- No.
found rail to be. 2642.35 R 2630.76 south of C1M 1/4 23-26.
then 2619.35 to 40 D or 5261.7 R 5259.22
R 2627.46
RP 40 D at Center as set -99.6 NW To NE cor brown bldg (long) 57.36 NE to hard rail in small knot SE side PP Pano No # -
- set right 90° S of 40 D and 100' S of 1/16 stone found. and proj line east to 40 D set 2633 from center 40 D. a full 100' south.
- found. 2 x 14 x ? limestone at 1/16 east 1316.4 E of 40 D. on N side field road in line fence N & S. (many boulders in area) set 3" x 3' oak post east of L stone and 5 x 9 x 24 L stone over lower stone believed to be true corner.

Card # 2. Enter 23 Cyata 106-12 #622309 (2)

9-7-73 ran elect line betw C/M at 1/4 14-23 and 1/4 23-26 5267.18 R 52.58.22. dug over area on N-S line not knowing how meas would come. found perfect chisel pointed limestone very near exact line as run and 11.36 N of where random nail set which was 1.57 E of nail set 1971 not yet having 1/4 23-26 stone. altho no stone recorded at center line and meas pioneer Hunter did set stone as final cor.

final meas north to C/M at 1/4 14-23 2632.46 R 2630.76
South " " " 1/4 23-26 2634.72 R 2627.46
east to 1/16 stone found 1971 1317.88 R 1316.7

then continuing line and meas east to 1/4 23-24 and setting corner double meas. and line.

RP Center 23. ~~½" rod~~ found ½" rod Took add'n RP. 8-8-74

47.6 NE to Conc. Nail in knot on E ly side PP# blank.

50.15 NW to Conc. nail in knot on NE side PP. wire tacked

92.4 NW to NE Corner of long shed (wood corner)

91.2 - West To S.E. Cor. Conc. Slab for Metal Grain bin West

6-23-83 Could not dig corner, but RP's in place. May be deep.

---

DEC 1994 YAGGY COLBY WAS AT CORNER. TIES TO POWER POLES ARE GONE. SHED IS TORN DOWN BUT CONC. SLAB IS STILL IN PLACE. THEY CHECKED DISTANCE TO S 1/4 COR AND THEY THINK THEY ARE WITHIN 0.10' ± THEY TOOK TWO NEW TIES TO DRILL HOLE N END 15" CULVERT ENE 32.31

TO DRILL HOLE S END 15" CULVERT SE 40.00