#622705

6-30-1964 set C I M. over orig stone. ①

section corner 27-28-33-34 Eyota 106-12.

5-1896 Hunter P600 no 545 L28 2r m Busian

no B trees, but found stone in center road covered by Mr H. Bear as set at spot of orig stake. - Cottonwood B tree Fisher - Meas north 39.93 1/2. N 1/2° W. 2635.7'

to 1/4 corner boulder set M & L

5-1902 2r Fraser P14 B L26-27. 5 partics see N 426.

found stone & B tree by Hunter.

Meas east 39.89 to stone set M & L. 2632.74.

7-1939 J Keir P488 B Town Board.

found stone took ~~B~~ reference.

NW cor entry stone school SW 18675. - Center 20" pine L E 89.0

6-30-1964. J Kerr to set corner.
set C I M over org stone.
NW corner stone school entry
Center 28" pine tree
Direc power pole.
Direc tele pole

L W 186.75
L E 89.0
N W 76.35
N E 45.15

Corner lies in center crossroads.
6-7 & 8-1973. ran & meas line east to 1/16 stone found
east of 1/4 27-34. R. 2632.74 M & L. 1/16 1316.37 M & Least
found meas. 1316.22 x 3. or 2632.44 See 1/4 27-34.
- ran & meas line north. - found. 21-22-27-28 not correct.
dug in black top found. drill hole in boulder 3.1 N. 3 W of iron
reset 1/4 27-28 true M & L. (now close) at meas. 2636.36 R 2635.71
R 2635.26

#622705 (2)

section corner 27-28-33-34 Eyota 106-12

Gov. Notes Sep. 16, 1853 William Jones
80.00Set post at corner to sect. ~~1930-27/4 28-33/34~~ 27-28-33-34
Br. Oak 17 N82½ E362
Br. Oak 10 S89 E 358
Br. Oak 12 N54 W 377

May, 1856 Thos. Hunter Pg. 6 No. 9 Shows Section Cor.
1/16 west 19.82 chs. M&L to 1/4 Post.
Meas. 39.85 South to 1/4 Post.

May, 1856 Thos. Hunter Pg. 6 No. 10 shows Sec. Corner
1/16 East 19.94 1/2 chs. M&L - 2 B.T.'s (N 54 1/4° W 194 lks.) & (S 3 1/4° W 70 1/2 lks.)
Meas. North 39.80 chs to 1/4 Post.

April, 1863 P.C. Compton Pg. 68 No. 96 Shows sec. Cor. used to set 1/4 Cor 27-34 M&L also shown in Pg. 69 No 97 For sec 28